


BIOTA COLOMBIANA

ISSN 0124-5376

Volumen 2 - Número 3, Diciembre de 2001

A detailed botanical line drawing of a plant stem. The stem is vertical and features a series of small, rounded, pointed structures, possibly spikelets or flowers, arranged in a whorl pattern along its upper half. The lower portion of the stem is more slender and tapers towards the base. A small label with the number '10' is visible near the bottom right of the stem.



Lista de los Géneros de Avispas Parasitoides Braconidae (Hymenoptera: Ichneumonoidea) de la Región Neotropical

Diego F. Campos M.

Instituto Humboldt, AA 8693, Bogotá D.C., Colombia. *dfcampos@humboldt.org.co*

Palabras Clave: Hymenoptera, Parasitoides, Ichneumonoidea, Braconidae, Neotrópico, Lista de Géneros

El orden Hymenoptera surgió al inicio del Triásico, hace más de 200 millones de años, y se ha diversificado de muchas formas entre las que se destacan sus estrategias de alimentación, que van desde la fitofagia y la predación hasta el parasitismo y la formación de agallas en tejidos vegetales. Hymenoptera representa hoy día uno de los órdenes más diversos y abundantes, con más de 120000 especies descritas y un estimado de 300000. “Los himenópteros tienen más especies benéficas que cualquier otro orden de insectos. Ellos pueden ser de importancia económica directa en el control natural de plagas, polinizadores y productores de productos comerciales como la miel” (La Salle & Gauld 1993). Aunque los himenópteros más conocidos son sociales como hormigas, abejas y avispas, la gran mayoría son solitarios y de hábito parasitoide que aseguran su progenie depositando los huevos en un organismo vivo denominado hospedero, el cual es usualmente llevado hasta la muerte. En general los parasitoides son insectos voladores activos que localizan su hospedero en cualquier hábitat; guiándose por señales químicas, táctiles, fotosensoriales o termosensoriales, presentando gran variedad de estrategias de vida y combinando un amplio espectro de hábitos alimenticios y tipos de hospedero.

La familia Braconidae conforma, junto con Ichneumonidae, la superfamilia Ichneumonoidea; con más de 30000 especies descritas y un estimado de 100000, conformando uno de los grupos más, diversos y abundantes del planeta. Es un clado monofilético según datos morfológicos (Sharkey & Wahl 1992; Rasnitsyn 1998; Ronquist *et al.* 1999; Sharkey 2001) y moleculares (Dowton & Austin 1994; Belshaw *et al.* 1998; Quicke *et al.* 1999) y representa uno de los grupos más antiguos dentro del orden Hymenoptera (Rasnitsyn 1980, 1998; Gauld & Bolton 1988), cuya diversidad se refleja no solo en sus miles de especies sino en la diversidad de hábitats que ocupa y las numerosas estrategias de parasitismo que presenta.

La importancia del estudio de los bracónidos se ve exaltada por el efecto regulador que estos tienen sobre las poblaciones de sus hospederos. “La extinción de especies de parasitoides puede conllevar a la explosión de poblaciones de insectos herbívoros, desencadenando resultados catastróficos para la economía y el ambiente (La Salle & Gauld 1991).

Ichneumonoidea (Ichneumonidae + Braconidae) puede separarse dentro de Hymenoptera por poseer patas posteriores con trocántero bien diferenciado; ala anterior con estigma y por lo menos una celda cerrada; venas C y Sc + R + Rs fusionadas en la parte proximal, dando lugar a una obliteración de la celda costal; antena con 16 o más segmentos, y en muy pocos casos con menos. Los ichneumonoideos braquípteros se distinguen de otros himenópteros por sus esternitos gastrales membranosos, 16 o más segmentos antenales y ovipositor exertado.

La familia Braconidae se distingue por tener de 1 a 14 mm de longitud (excluyendo las antenas y el ovipositor); antena con 8 a 98 segmentos, flagelo usualmente filiforme, nunca geniculado, serrado o clavado; mandíbula bidentada, algunas veces exondonte con tres a siete dientes, vena 2m-cu del ala anterior ausente (excepto en *Apoxys penyai* Mason); vena 1/Rs+M del ala anterior presente; vena 1r-m del ala posterior basal a la separación de R1 y Rs; terga metasomales 1 y 2 fusionadas.

Biología

Los bracónidos comparten terminología que se aplica a todos los parasitoides, ellos pueden ser: ectoparásitos, endoparásitos, idiobiontes y/o koinobiontes (Godfray 1994). Los ectoparasitoides quienes se alimentan externamente de su hospedero, son en su mayoría idiobiontes, es decir,

paralizan permanente a su hospedero. En contraste, los endoparasitoides quienes se alimentan internamente de su hospedero son koinobiontes, es decir, permiten al hospedero seguir viviendo hasta el final de su desarrollo, alimentándose internamente. Se sabe que algunas de éstas especies endoparasitoides han establecido una simbiosis con virus para contrarrestar el sistema inmune de sus hospederos represando una de las relaciones más complejas y especializadas dentro de los insectos (Whitfield 1992; Quicke 1997). La estrategia de parasitismo que presenta es una característica que permite establecer gremios, un concepto útil en el estudio de comunidades de parasitoides (Gauld & Bolton 1988; Kato 1994).

En particular los bracónidos atacan exclusivamente lepidópteros, coleópteros y dípteros en diferentes estados de desarrollo y la gran mayoría de especies tienen hospederos específicos (Matthews 1974; LaSalle & Gauld 1991), característica que los convierte en uno de los grupos más utilizados en control biológico de plagas y que les da la cualidad adicional de tener un gran potencial como indicadores de riqueza y estabilidad de un ecosistema (Shaw & Hudleston 1991). Por otra parte, algunas especies de bracónidos son utilizadas como modelo de la interacción parasitoide-hospedero. Este y los motivos antes expuestos hacen que el avance en el conocimiento filogenético de este grupo sea clave para entender la evolución del parasitismo (Whitfield 1992; Slotz & Whitfield 1992; Whitfield 1997). Avances en su conocimiento permitirán esclarecer la biología, ecología y filogenia de los himenópteros parasitoides (Wharton 1993a).

Sistemática

En un contexto mundial, desde que fue descrito el primer espécimen por Latreille en 1802 hasta hoy, el estudio de los bracónidos ha sido facilitado por un extenso volumen de literatura, donde se destacan catálogos mundiales y regionales (Mackauer & Starý 1967; Mackauer 1968; Shenefelt 1969, 1970a, 1970b, 1972, 1973a, 1973b, 1974, 1975, 1978, 1980; Fischer 1971, 1972, 1977, 1987; Shenefelt & Marsh 1976; Marsh 1979b; De Santis 1967, 1980); claves para subfamilias (Shaw 1995; Achterberg 1993; Sharkey 1993); claves para los géneros neárticos (Marsh *et al.* 1987) y revisiones exhaustivas de literatura (Shenefelt 1965; Starý 1987).

Aunque se han realizado estudios taxonómicos de manera

exhaustiva, la clasificación en subfamilias ha sido inestable y conflictiva, con algunos linajes bien definidos y otros propuestos como una solución práctica. Mientras Achterberg (1993) reconoce 43 subfamilias, Sharkey (1993) reconoce 29 y Wharton (2000) sólo 6. En general las propuestas de clasificación de subfamilias han sido problemáticas por las tendencias a convergencias, en su mayoría por reducción de caracteres (Achterberg 1984a). Existen propuestas que intentan esclarecer las relaciones de los grupos establecidos empleando metodología cladística, como Quicke & Achterberg (1990) y Belshaw *et al.* (1998), pero el tema aún esta en debate y controversia (Wharton *et al.* 1992; Achterberg & Quicke 1992; Quicke *et al.* 1999). Es muy probable que esta problemática resida en el vacío de conocimiento en regiones como el Neotrópico muy pobremente exploradas, con grupos que pueden ser críticos a la hora de hacer estudios filogenéticos y biogeográficos.

El trabajo más reciente por Wharton *et al.* (1997), representa la principal herramienta para el conocimiento de la fauna Neotropical, existen algunos trabajos de revisión (Sharkey 1988, 1990; Quicke *et al.* 1996; Berta de Fernández 1998; Dangerfield *et al.* 1996; Mason 1979; Sharkey 1983; Quicke 1988a, 1988b, 1989a, 1989b, 1989c, 1994, 1995; Gibson 1974; Achterberg 1989, 1992b, 1995a; Achterberg *et al.* 1997) y algunos trabajos regionales para México (Hernández *et al.* 1987; Calderón & Ruiz 1990; Thompson & Ruiz 1990; Briceño & Ruiz 1991; López 1997; Ruiz 1993, Peña *et al.* 1992, Peña & Ruiz 1993; Delfín & Wharton 1996; Delfín & León 1997; Mao 1945; Wharton & Mercado 1989; Gibson 1972b; Labougle 1980; Starý 1983; Starý & Remaudiere 1982; Lomelí & Peña 1995; Sánchez *et al.* 1998), Costa Rica (Shaw 1995), Perú (Redolfi 1994) y Venezuela (Briceño 1999).

En la mayoría de los géneros, las especies descritas son muy pocas con relación a las especies sin describir, básicamente el conocimiento de los géneros en el neotrópico es precario o escaso y hasta el momento es muy difícil hacer estimaciones sobre el número de especies.

Aún son muchas las regiones completamente desconocidas. Tan solo hasta ahora se empieza a explorar la magnitud de los grupos hiperdiversos en la región neotropical y aún se necesitan trabajos de revisión que permitan conocer la verdadera dimensión de la diversidad de los grupos más abundantes y diversos del planeta en el neotrópico.

Checklist of Genera of Braconid parasitic wasps (Hymenoptera: Ichneumonoidea) of the Neotropical Region

Diego F. Campos M.

Key Words: Hymenoptera, Parasitoids, Ichneumonoidea, Braconidae, Neotropics, Genera List

The order Hymenoptera emerged at the beginning of the Triassic period, around 200 million years ago. Through time, they have diversified, among other things, their feeding strategies, going from phytophagy and predation to parasitism and even gall formations in plant tissues. Hymenoptera represents nowadays one of the most diverse and abundant orders, with more than 120000 described species and an estimated number of 300000. "The Hymenoptera contains more beneficial species than any other insect order. They are of direct economic importance in the biological control of pests, the pollination of flowering plants and the production of commercial products such as honey and wax" (La Salle & Gauld 1993). Although the social bees, ants and wasps are the most familiar groups of Hymenoptera, the majority of species are solitary and show parasitoid habits, ensuring reproduction by depositing their eggs in a live organism (host) and driving it to death. Generally, the parasitoids are active flying insects that found their host in virtually any habitat, guided by chemical, tactile, photosensorial or thermosensorial cues. They display a great variety of life strategies combining a wide spectrum of feeding habits and host types.

The family Braconidae, together with Ichneumonidae, conform the superfamily Ichneumonoidea. Braconidae is comprised by more than 30000 described species and is estimated to encompass around 100000; as a result is one of the largest and most diverse and abundant groups of the world. According to morphological (Sharkey & Wahl 1992; Rasnitsyn 1998; Ronquist et al. 1999; Sharkey 2001) and molecular data (Dowton & Austin 1994; Belshaw et al. 1998; Quicke et al. 1999) the Braconidae is a monophyletic group, and represents one of the oldest groups within the order Hymenoptera (Rasnitsyn 1980, 1998; Gauld & Bolton 1988). The diversity of the group is not only reflected on its sizeable species number but also in the variety of habitats where occurs and the multiple parasitic strategies that displays.

The importance of studying the braconids is enhanced by the regulatory effect that they exert on their hosts' populations. "The extinction of parasitoid species can trigger a population explosion of the herbivore insects, with devastating results for the economy and the environment" (La Salle & Gould 1991).

Ichneumonoidea (Ichneumonidae + Braconidae) can be easily distinguished among the Hymenoptera for having hind legs with distinct trochantellus, fore wings with stigma and at least one closed cell; wing veins C and Sc+R+Rs are fused proximally, causing obliteration of the costal wing cell; antennae usually have 16 or more segments, but rarely fewer. The presence of membranous sterna, 16 or more antennal segments and an extruded ovipositor distinguish the brachypterous Ichneumonoidea.

The family Braconidae is distinguished for having a body length that ranges from 1 to 14 mm (excluding antennae and ovipositor), antenna with 8 to 98 segments, flagellum usually filiform (thread-like), but never geniculate (elbow-shaped), serrated, or clavate (club-like); bidentate mandibles, sometimes exodont, with three to seven teeth; fore wing vein 2m-cu absent (except in Apoxys penai Mason), fore wing vein 1/Rs+M present, cross vein 1r-m of the hind wing basal to the separation of R1 and Rs; metasomal terga 1 and 2 fused.

Biology

The terminology used for braconids is the same used for all parasitoids, they may be: ectoparasites, endoparasites, idiobionts and/or koinobionts (Godfray 1994). Ectoparasitoids are generally idiobionts that kill or paralyze their host and feed on it externally. On the other hand, the koinobionts allow the host to live until the end of its development, feeding internally and coexisting with it at different levels of specialization. It is known that some endoparasitoid species have established a symbiosis with viruses to weaken the host's immune system (Whitfield 1992; Quicke 1997); therefore, in the communities studies the braconids may be considered either specialists or generalists according to their parasitic strategy (Gauld & Bolton 1988; Kato 1994).

The braconids attack exclusively the orders Lepidoptera, Coleoptera and Diptera in their different stages of development. Most of the species attack species-specific hosts (Matthews 1974; La Salle & Gould 1991), reason why they are one of the most frequently used groups in biological control of agricultural pest, and also make them suitable for potential use as indicators of richness and stability.

ity of ecosystems (Shaw & Hudleston 1991). On the other hand, some braconid species are used as study models for the parasitoid-host interaction. Such circumstances make the phylogenetic knowledge of this group a keystone component to understand the evolution of parasitism (Whitfield 1992; Slotz & Whitfield 1992; Whitfield 1997). Advancements in that area will help to clarify the biology, ecology and phylogeny of the parasitoid Hymenoptera (Wharton 1993a).

Systematics

In a global context, from the time when Latreille described the first specimen in 1802 until today, the study of braconids has been greatly facilitated by an extensive body of literature, among which the following are some of the most remarkable: regional and world catalogs (Mackauer & Starý 1967; Mackauer 1968; Shenefelt 1969, 1970a, 1970b, 1972, 1973a, 1973b, 1974, 1975, 1978, 1980; Fischer 1971, 1972, 1977, 1987; Shenefelt & Marsh 1976; Marsh 1979b; De Santis 1967, 1980); subfamily keys (Shaw 1995; Achterberg 1993; Sharkey 1993); Nearctic genera keys (Marsh et al. 1987) and extensive literature reviews (Shenefelt 1965; Starý 1987).

Even though many extensive taxonomic studies have been carried out, the classification at the subfamily level has been unstable and controversial, with some well-defined lineages, and some others proposed only as practical solutions. Achterberg (1993), for instance, recognizes 43 subfamilies, while Sharkey (1993) recognizes 29 and Wharton (2000) only 6. The proposed classifications at the subfamily level have been generally problematic, due to convergence, usually caused by reduction of characters (Achterberg 1984a). Works by Quicke & Achterberg (1990) and Belshaw et al. (1998) implemented cladistic methods to clarify the relationships among the established groups; however, no consensus has been reached, leaving the topic under current debate (Wharton et al. 1992;

Achterberg & Quicke 1992; Quicke et al. 1999). Problems like this might be caused by the knowledge gap in regions such as the unexplored neotropics, which could certainly contain critical groups that facilitate the enhancement of the current knowledge on biogeography and phylogenetics.

The most recent work by Wharton et al. (1997) represents the main tool to increase the knowledge of the Neotropical fauna. Additionally there are some review works (Sharkey 1988, 1990; Quicke et al. 1996; Berta de Fernández 1998; Dangerfield et al. 1996; Mason 1979; Sharkey 1983; Quicke 1988a, 1988b, 1989a, 1989b, 1989c, 1994, 1995; Gibson 1974; Achterberg 1989, 1992b, 1995a; Achterberg et al. 1997) as well as some regional studies for Mexico (Hernández et al. 1987; Calderón & Ruiz 1990; Thompson & Ruiz 1990; Briceño & Ruiz 1991; López 1997; Ruiz 1993; Peña et al. 1992; Peña & Ruiz 1993; Delfín & Wharton 1996; Delfín & Leon 1997; Mao 1945; Wharton & Mercado 1989; Gibson 1972b; Labougle 1980; Starý 1983; Starý & Remaudiere 1982; Lomelí & Peña 1995; Sánchez et al. 1998), Costa Rica (Shaw 1995), Peru (Redolfi 1994) and Venezuela (Briceño 1999).

In most of the genera, the undescribed species surpass the described ones, basically because the knowledge of the Neotropical genera is rudimentary and scarce; thus, it is difficult to make estimations of number of species at the moment.

There are still many entirely unexplored regions; although we are now starting to explore the magnitude of the Neotropical hyperdiverse groups. Hence it is imperative to produce more revision works that reflect the real diversity of the most abundant and diverse groups of the world, many of which are present in the Neotropics.

Cuadro 1. Número de especies descritas y estimadas para cada género en el Neotrópico. Debido a la ausencia de trabajos de revisión en el Neotrópico en muy pocos casos se cuenta con una estimación precisa del número de especies.

Box 1. Number of described and estimated species within each genus in the Neotropical Region. Due to the lack of review works of Neotropical taxa, in very few cases there is a precise estimation of the total number of species.

Taxón <i>Taxon</i>	No. Especies descritas <i>No. of described species</i>	No. Especies estimadas <i>No. of estimated species</i>
Subfamilia Adeliinae	-	-
<i>Adelius</i> Haliday, 1833	3	-
<i>Paradelius</i> de Saeger, 1942	2	-
Subfamilia Agathidinae	-	-
<i>Aerophilus</i> Szépligeti, 1902	1	-
<i>Alabagrus</i> Enderlein, 1920	?	100
<i>Bassus</i> Fabricius, 1804	-	400
<i>Coccygidium</i> de Saussure, 1892	-	100
<i>Crassomicrodus</i> Ashmead, 1900	-	10
<i>Cremmops</i> Foerster, 1862	-	40
<i>Dichelosus</i> Szépligeti, 1902	7	-
<i>Earinus</i> Wesmael, 1837	-	40
<i>Labagathis</i> Enderlein, 1920	1	-
<i>Liopisa</i> Enderlein, 1920	1	-
<i>Marjoriella</i> Sharkey, 1983	4	-
<i>Mesocoelus</i> Schulz, 1911	2	-
<i>Pharpa</i> Sharkey, 1986	3	-
<i>Plesiocoelus</i> van Achterberg, 1990	1	-
<i>Sesioctonus</i> Viereck, 1912	1	30
<i>Trachagathis</i> Viereck, 1912	2	-
<i>Zacremnops</i> Sharkey & Warton, 1985	4	-
<i>Zamicrodus</i> Viereck, 1912	-	15
Subfamilia Alysiinae	-	-
<i>Alysia</i> Latreille, 1804	-	-
<i>Alysiasta</i> Wharton, 1980	4	-
<i>Aphaereta</i> Foerster, 1862	16	-
<i>Asobara</i> Foerster, 1862	8	-
<i>Aspilota</i> Foerster, 1862	15	-
<i>Chaenus</i> Haliday, 1839	10	-
<i>Chorebus</i> Haliday, 1833	18	-
<i>Coelinus</i> Nees, 1818	40	-
<i>Coloneura</i> Foerster, 1862	-	-
<i>Cratospila</i> Foerster, 1862	1	-
<i>Dacnusa</i> Haliday, 1833	-	-
<i>Dapsilarthra</i> Foerster, 1862	-	-
<i>Dapsildiastema</i> Wharton, 1994	-	-
<i>Dinotrema</i> Foerster, 1862	40	-
<i>Exotela</i> Foerster, 1862	-	-
<i>Gnathopleura</i> Wharton, 1980	12	-
<i>Hoplitalysia</i> Ashmead, 1900	1	-
<i>Idiasta</i> Foerster, 1862	1	-
<i>Ilatha</i> Fischer, 1975	5	-
<i>Mesocrina</i> Foerster, 1862	1	-
<i>Microcrasis</i> Fischer, 1975	2	-
<i>Oenonogastra</i> Ashmead, 1900	1	-
<i>Orthostigma</i> Ratzeburg, 1844	9	-
<i>Pentapleura</i> , Foerster, 1862	4	-
<i>Phaenocarpa</i> Foerster, 1862	2	-
<i>Symphya</i> Foerster, 1862	6	-
<i>Tanycarpa</i> Foerster, 1862	4	-

Taxón <i>Taxon</i>	No. Especies descritas <i>No. of described species</i>	No. Especies estimadas <i>No. of estimated species</i>
<i>Lysiphlebus</i> Foerster, 1862	7	-
<i>Monoctonus</i> Haliday, 1833	3	-
<i>Praon</i> Haliday, 1833	17	-
<i>Pseudephedrus</i> Starý, 1972	5	-
<i>Pseudopraon</i> Starý, 1975		
<i>Quadrictonus</i> Starý & Remaudiere, 1833	1	-
<i>Trioxys</i> Haliday, 1833	4	-
Subfamilia Betylobraconinae	-	-
<i>Conobregma</i> van Achterberg, 1995	5	-
<i>Jannya</i> van Achterberg, 1995	2	-
Subfamilia Blacinae	-	-
<i>Apoblacus</i> van Achterberg, 1976	1	-
<i>Blacozona</i> van Achterberg, 1988	1	-
<i>Blacus</i> Nees, 1818	40	-
<i>Chalarope</i> van Achterberg, 1988	1	-
<i>Glyptoblacus</i> van Achterberg, 1995	1	-
<i>Grypokeros</i> van Achterberg, 1988	2	-
<i>Mesoxiphium</i> van Achterberg, 1976	2	-
<i>Stegnocella</i> van Achterberg, 1976	1	-
Subfamilia Braconinae	-	-
<i>Alienoclypeus</i> Shenefelt, 1978		
<i>Atanycolus</i> Foerster, 1862	-	-
<i>Bracon</i> Fabricius, 1804	-	-
<i>Calobracon</i> Szépligeti, 1902	-	-
<i>Cervellus</i> Szépligeti, 1904	-	-
<i>Coeloides</i> Wesmael, 1838	-	-
<i>Compsobracon</i> Ashmead, 1900	-	-
<i>Compsobraconoides</i> Quicke, 1989	5	-
<i>Cyanopterus</i> Haliday, 1835	-	-
<i>Cyclaulacidea</i> Quicke & Delobel, 1995	1	-
<i>Cyclaulax</i> Cameron, 1911	-	-
<i>Digonogastra</i> Viereck, 1912	-	-
<i>Gnathobracon</i> Costa, 1864	1	-
<i>Gracilibracon</i> Quicke, 1995	3	-
<i>Habrobracon</i> Ashmead, 1895	-	-
<i>Hemibracon</i> Szépligeti, 1906	-	-
<i>Lasiophorus</i> Haliday, 1838	-	-
<i>Leptobracon</i> Szépligeti, 1901	-	-
<i>Megabracon</i> Szépligeti, 1906	-	-
<i>Megacoeloides</i> Quicke, 1989	1	-
<i>Myosoma</i> Brullé, 1846	-	-
<i>Myosomatooides</i> Quicke, 1994	1	-
<i>Palabracon</i> Quicke, 1988	-	-
<i>Pheloura</i> van Achterberg, 1989	1	-
<i>Sacirema</i> Quicke, 1995	1	-
<i>Vipiomorpha</i> Tobias, 1986		
<i>Vipio</i> Latreille, 1804	-	-
Subfamilia Cardiochilinae	-	-
<i>Cardiochiles</i> Nees, 1818	16	5
<i>Hansonia</i> Dangerfield, 1996	1	-

Taxón <i>Taxon</i>	No. Especies descritas <i>No. of described species</i>	No. Especies estimadas <i>No. of estimated species</i>
<i>Heteropteron</i> Brullé, 1846	1	-
<i>Neocardiochiles</i> Szépligeti, 1908	1	-
<i>Schoenlandella</i> Cameron, 1904	-	-
<i>Toxoneuron</i> Say, 1836	20	-
<i>Wesmaelella</i> Spinola, 1853	2	-
Subfamilia Cenocoeliinae	-	-
<i>Aulacodes</i> Cresson, 1865	1	-
<i>Capitonius</i> Brullé, 1846	-	-
<i>Cenocoelius</i> Haliday, 1840	-	-
<i>Evaniomorpha</i> Szépligeti, 1901	1	-
<i>Foenomorpha</i> Szépligeti, 1904	1	-
Subfamilia Cheloninae	-	-
<i>Ascogaster</i> Wesmael, 1835	-	-
<i>Chelonus</i> Panzer, 1806	-	-
<i>Dentigaster</i> Zettel, 1990	3	6
<i>Fischeriella</i> Zettel, 1990	-	-
<i>Leptochelonus</i> Zettel, 1990	1	-
<i>Leptodrepana</i> Shaw, 1990	-	-
<i>Microchelonus</i> Szépligeti, 1908	5	-
<i>Phanerotoma</i> Wesmael, 1838	50	-
<i>Phanerotomoides</i> Zettel, 1990	1	-
<i>Pseudophanerotoma</i> Zettel, 1990	10	-
Subfamilia Dirrhopinae	-	-
<i>Dirrhope</i> Foerster, 1861	-	-
Subfamilia Doryctinae	-	-
<i>Acanthorhogas</i> Szépligeti, 1906	1	-
<i>Achterbergia</i> Marsh, 1993	1	-
<i>Acrophasmus</i> Enderlein, 1912	10	-
<i>Aivalykus</i> Nixon, 1838	4	-
<i>Aphelopsia</i> Marsh, 1993	1	-
<i>Araucania</i> Marsh, 1993	2	-
<i>Atopodoryctes</i> Marsh, 1993	1	-
<i>Binarea</i> Brullé, 1846	4	-
<i>Bohartiellus</i> Marsh, 1983	2	-
<i>Caingagia</i> Marsh, 1993	1	-
<i>Callihormius</i> Ashmead, 1900	7	-
<i>Coiba</i> Marsh, 1993	3	-
<i>Curtisella</i> Spinola, 1853	6	-
<i>Cyphodoryctes</i> Marsh, 1997	1	-
<i>Dendrosoter</i> Wesmael, 1838	6	-
<i>Donquickeia</i> Marsh, 1997	2	-
<i>Doryctes</i> Haliday, 1836	100	-
<i>Ecphyloides</i> Marsh, 1993	1	-
<i>Ecphyllus</i> Foerster, 1862	25	-
<i>Evaniodes</i> Szépligeti, 1901	1	-
<i>Fritziella</i> Marsh, 1993	1	-
<i>Glyptocolastes</i> Ashmead, 1900	-	-
<i>Guaygata</i> Marsh, 1993	1	-
<i>Gymnobracon</i> Szépligeti, 1902	3	-
<i>Hecabolus</i> Curtis, 1834	2	-

Taxón <i>Taxon</i>	No. Especies descritas <i>No. of described species</i>	No. Especies estimadas <i>No. of estimated species</i>
<i>Heerz</i> Marsh, 1993	2	-
<i>Heterospilus</i> Haliday, 1836	-	-
<i>Histeromeroides</i> Marsh, 1993	1	-
<i>Holocbracon</i> Cameron, 1905	4	300
<i>Hybodoryctes</i> Szépligeti, 1906	2	-
<i>Janzenia</i> Marsh, 1993	1	-
<i>Johnsonius</i> Marsh, 1993	3	-
<i>Labania</i> Hedqvist, 1963	1	-
<i>Leluthia</i> Cameron, 1887	3	-
<i>Liobracon</i> Szépligeti, 1901	20	-
<i>Masonius</i> Marsh, 1993	1	-
<i>Megaloprotus</i> Shulz, 1906	13	-
<i>Micrommatus</i> Marsh, 1993	1	-
<i>Mixtec</i> Marsh, 1993	1	-
<i>Monarea</i> Szépligeti, 1904	3	-
<i>Monolexis</i> Foerster, 1862	8	-
<i>Mononeuron</i> Fischer, 1981	1	-
<i>Nervellius</i> Roman, 1924	4	-
<i>Notiuspathius</i> Matthews & Marsh, 1973	14	-
<i>Odontobracon</i> Cameron, 1887	4	-
<i>Pambolidea</i> Ashmead, 1900	2	-
<i>Osmophila</i> Szépligeti, 1902	3	-
<i>Panama</i> Marsh, 1993	1	-
<i>Parallorhogas</i> Marsh, 1993	1	-
<i>Pariodes</i> Fischer, 1981	1	-
<i>Pedinotus</i> Szépligeti, 1902	4	-
<i>Percnobracon</i> Kieffer, 1910	2	-
<i>Psenobolus</i> Reinhard, 1885	3	-
<i>Ptesimogaster</i> Marsh, 1965	3	-
<i>Rhancconotus</i> Ruthe, 1854	75	-
<i>Rhopocentroides</i> Marsh, 1993	1	-
<i>Semirhytus</i> Szépligeti, 1902	2	-
<i>Sericobracon</i> Shaw, 1985	2	-
<i>Sharkeyella</i> Marsh, 1993	1	-
<i>Shawius</i> Marsh, 1993	1	-
<i>Spathius</i> Nees, 1818	-	-
<i>Stenocorse</i> Marsh, 1968	1	-
<i>Tarasco</i> Marsh, 1993	1	-
<i>Trigonophasmus</i> Enderlein, 1912	8	-
<i>Tripteria</i> Enderlein, 1912	1	-
<i>Verae</i> Marsh, 1993	1	-
<i>Waitaca</i> Marsh, 1993	1	-
<i>Whartonius</i> Marsh, 1993	2	-
<i>Whitfieldiellus</i> Marsh, 1997	1	-
Subfamilia Euphorinae	-	-
<i>Aridelus</i> Marshall, 1887	4	-
<i>Bracteodes</i> de Saeger, 1946	1	-
<i>Centistes</i> Haliday, 1835	7	-
<i>Centistina</i> Enderlein, 1912	-	-
<i>Centistoides</i> van Achterberg, 1992	1	-

Taxón <i>Taxon</i>	No. Especies descritas <i>No. of described species</i>	No. Especies estimadas <i>No. of estimated species</i>
<i>Chrysopophthours</i> Goidanich, 1948	4	-
<i>Cosmophorus</i> Ratzeburg, 1848	-	-
<i>Cryptoxilos</i> Viereck, 1911	-	-
<i>Dinocampus</i> Foerster, 1862	1	-
<i>EuphorIELLA</i> Ashmead, 1900	-	-
<i>Falcosyntretus</i> Tobias, 1965	1	-
<i>Holdawayella</i> Loan, 1967	-	-
<i>Lecythodella</i> Enderlein, 1912	1	-
<i>Leiophron</i> Nees, 1818	-	-
<i>Litostolus</i> van Achterberg, 1985	4	-
<i>Marshiella</i> Shaw, 1985	2	-
<i>Microctonus</i> Wesmael, 1835	26	-
<i>Orionis</i> Shaw, 1985	2	-
<i>Perilitus</i> Nees, 1818	-	-
<i>Peristenus</i> Foerster, 1862	5	-
<i>Plynops</i> Shaw, 1996	10	-
<i>Pygostolus</i> Haliday, 1833	3	-
<i>Syntretus</i> Foerster, 1862	3	-
<i>Townesilitus</i> Haeselbarth & Loan, 1983	4	-
<i>Wesmaelia</i> Foerster, 1862	-	-
Subfamilia Gnaptodontinae	-	-
<i>Gnampetodon</i> Haliday, 1833	8	-
<i>Pseudognaptodon</i> Fischer, 1964	3	-
Subfamilia Helconinae	-	-
<i>Aliolus</i> Say, 1836	-	-
<i>Baeacis</i> Foerster, 1878	1	-
<i>Diospilus</i> Haliday, 1833	-	-
<i>Eubazus</i> Nees, 1814	-	-
<i>Helcon</i> Nees, 1814	-	-
<i>Nealiolus</i> Mason, 1974	-	120
<i>Schizoprymnus</i> Foerster, 1862	4	-
<i>Topaldios</i> Papp, 1995	2	-
<i>Triaspis</i> Haliday, 1835	-	100
<i>Urosigalphus</i> Ashmead, 1888	-	100
<i>Vadum</i> Mason, 1987	1	-
<i>Wroughtonia</i> Cameron, 1899	-	-
Subfamilia Homolobinae	-	-
<i>Charmontia</i> van Achterberg, 1979	1	-
<i>Charmon</i> Haliday, 1833	20	-
<i>Exasticolus</i> van Achterberg, 1979	3	-
<i>Homolobus</i> Foerster, 1862	12	-
Subfamilia Hormiinae	-	-
<i>Acrisis</i> Foerster, 1862	2	-
<i>Allobracon</i> Gahan, 1915	11	-
<i>Aspilodemon</i> Fischer, 1966	7	-
<i>Cantharactonus</i> Viereck, 1912	3	-
<i>Chremylus</i> Haliday, 1833	1	-
<i>Colastes</i> Haliday, 1833	-	-
<i>Hormius</i> Nees, 1818	18	-
<i>Hydrangeocola</i> Brethes, 1927	13	-

Taxón <i>Taxon</i>	No. Especies descritas <i>No. of described species</i>	No. Especies estimadas <i>No. of estimated species</i>
<i>Lysitermus</i> Foerster, 1862	2	-
<i>Monitoriella</i> Hedqvist, 1963	5	-
<i>Oncophanes</i> Foerster, 1862	8	
<i>Pambolus</i> Haliday, 1836	2	-
<i>Parahormius</i> Nixon, 1940	5	-
<i>Rhysipolis</i> Foerster, 1862	1	
<i>Shawiana</i> Achterberg, 1983	2	
<i>Xenarcha</i> Foerster, 1862	1	
<i>Xenosternum</i> Muesebeck, 1935	1	
Subfamilia Ichneutinae	-	-
<i>Hebicneutes</i> Sharkey & Wharton, 1994	4	-
<i>Helconichia</i> Sharkey & Wharton, 1994	sa	-
<i>Lispixys</i> Mason, 1994	2	-
<i>Masonbeckia</i> Sharkey & Wharton, 1994	6	-
<i>Muesonia</i> Sharkey & Wharton, 1994	3	-
<i>Oligoneurus</i> Szépligeti, 1902	2	-
<i>Paroligoneurus</i> Muesebeck, 1931	11	-
<i>Proterops</i> Wesmael, 1835	3	-
Subfamilia Macrocentrinae	-	-
<i>Astrozele</i> Roman, 1910	-	-
<i>Dolichozele</i> Viereck, 1911	-	-
<i>Hymenochoania</i> Dalla Torre, 1898	5	-
<i>Macrocentrus</i> Curtis, 1833	40	-
Subfamilia Masoninae	-	-
<i>Masona</i> van Achterberg, 1995	-	-
Subfamilia Mendesellinae	-	-
<i>Epsilogaster</i> Whitfield & Mason, 1994	1	-
<i>Mendesella</i> Whitfield & Mason, 1994	1	-
Subfamilia Meteorideinae	-	-
<i>Meteoridea</i> Ashmead, 1900	-	-
Subfamilia Meteorinae	-	-
<i>Meteorus</i> Haliday, 1835	47	-
<i>Zele</i> Curtis, 1832	7	-
Subfamilia Microgastrinae	-	-
<i>Alphomellon</i> Mason, 1981	-	-
<i>Apanteles</i> Foerster, 1862	-	1000
<i>Astrotoclesia</i> Austin & Dangerfield, 1992	1	-
<i>Choeras</i> Mason, 1981	-	-
<i>Clarkinella</i> Mason, 1981	-	-
<i>Cotesia</i> Cameron, 1891	-	-
<i>Dasylagon</i> Muesebeck, 1958	-	-
<i>Deuterixys</i> Mason, 1981	-	-
<i>Diolcogaster</i> Ashmead, 1900	-	-
<i>Distatrix</i> Mason, 1981	-	-
<i>Dolichogenidea</i> Viereck, 1911	-	-
<i>Exix</i> Mason, 1981	-	-
<i>Fornicia</i> Brullé, 1846	-	-
<i>Glyptapanteles</i> Ashmead, 1904	-	-
<i>Hypomicrogaster</i> Ashmead, 1898	-	-
<i>Iconella</i> Mason, 1981	-	-

Taxón <i>Taxon</i>	No. Especies descritas <i>No. of described species</i>	No. Especies estimadas <i>No. of estimated species</i>
<i>Illidops</i> Mason, 1981	-	-
<i>Larissimus</i> Nixon, 1965	-	-
<i>Lathrapanteles</i> Williams, 1985	-	-
<i>Microplitis</i> Foerster, 1862	-	-
<i>Papanteles</i> Mason, 1981	-	-
<i>Parapanteles</i> Ashmead, 1900	-	-
<i>Pholetesor</i> Mason, 1981	-	-
<i>Prasmodon</i> Nixon, 1965	-	-
<i>Promicrogaster</i> Brues & Richardson, 1913	-	-
<i>Protomicroplitis</i> Ashmead, 1898	-	-
<i>Pseudapanteles</i> Ashmead, 1898	-	-
<i>Rasivalva</i> Mason, 1981	-	-
<i>Rhygoplitis</i> Mason, 1981	-	-
<i>Sathon</i> Mason, 1981	-	-
<i>Sendaphne</i> Nixon, 1965	-	-
<i>Snellenius</i> Westwood, 1882	-	-
<i>Venanides</i> Mason, 1981	-	-
<i>Venanus</i> Mason, 1981	-	-
<i>Wilkinsonellus</i> Mason, 1981	-	-
<i>Xanthapanteles</i> Whitfield, 1995	1	-
<i>Xanthomicrogaster</i> Cameron, 1911	-	-
<i>Xenogaster</i> Mason, 1981	-	-
Subfamilia Miricinae	-	-
<i>Mirax</i> Haliday, 1833	-	-
Subfamilia Opiinae	-	-
<i>Biosteres</i> Foerster, 1862	20	-
<i>Diachasmimorpha</i> Viereck, 1913	5	-
<i>Doryctobracon</i> Enderlein, 1920	14	-
<i>Eurytenes</i> Marshall, 1862	1	-
<i>Fopius</i> Wharton, 1987	-	-
<i>Opius</i> Wesmael, 1835	400	-
<i>Psyllitalia</i> Walker, 1860	1	-
<i>Uteles</i> Foerster, 1862	35	-
Subfamilia Orgilinae	-	-
<i>Antestrix</i> van Achterberg, 1987	2	-
<i>Bentonia</i> van Achterberg, 1992	2	-
<i>Orgilus</i> Haliday, 1833	120	-
<i>Podorgilus</i> van Achterberg, 1994	1	-
<i>Stantonia</i> Ashmead, 1904	5	-
Subfamilia Rogadinae	-	-
<i>Aleiodes</i> Wesmael, 1838	-	200
<i>Bulborogas</i> van Achterberg, 1995	2	-
<i>Choreborogas</i> Whitfield, 1990	8	-
<i>Clinocentrus</i> Haliday, 1833	3	-
<i>Cystomastax</i> Szépligeti, 1904	6	-
<i>Macrostomion</i> Szépligeti, 1900	1	-
<i>Polystenidea</i> Viereck, 1911	2	-
<i>Rogas</i> Nees, 1818	-	150
<i>Stiropius</i> Cameron, 1911	17	-
<i>Tetrasphhaeropyx</i> Ashmead, 1888	1	-

Taxón <i>Taxon</i>	No. Especies descritas <i>No. of described species</i>	No. Especies estimadas <i>No. of estimated species</i>
<i>Yelicones</i> Cameron, 1887	5	-
Subfamilia Sigalphinae	-	-
<i>Psephalanus</i> Szépligeti, 1902	-	-
<i>Sigalpus</i> Latreille, 1802	-	-
Subfamilia Ypsistocerinae	-	-
<i>Emboobracon</i> van Achterberg, 1995	1	-
<i>Termitobracon</i> Brues, 1923	1	-
<i>Ypsistocerus</i> Cushman, 1923	2	-

Listado Taxonómico / Taxonomic List

Se presenta una lista de los géneros de Braconidae conocidos para el Neotrópico y Colombia con referencias e información adicional sobre su biología. La distribución en el Neotrópico se basa principalmente en Wharton *et al.* (1997) y Shaw (1995). Se considera la región neotropical en sentido amplio ya que es un grupo muy poco estudiado y los límites de su distribución al nivel de género no son claros; algunas veces sólo se menciona el país de origen del tipo. La lista de géneros para Colombia es preliminar de acuerdo con la distribución conocida por región natural. Los registros marcados con asterístico (*), son nuevos hallazgos taxonómicos para el Neotrópico y/o Colombia. Adicionalmente se presentan referencias, algunas de ellas indican el nombre del género entre paréntesis cuando ha sido sinonimizado (para más detalles consultar apéndice de listado sinónímico). Igualmente se incluye información sobre su biología y sobre su hospedero cuando se conoce. (Endo) Endoparasitoide; (Ecto) Ectoparasitoide; (K) Kionobionte; (I) Idiobionte y (D) Desconocida. En la columna Distribución Neotropical aparecen abreviaturas ne= Neotrópico, sa= Sudamérica, Cam= Centroamérica, ica= islas del caribe y rd= República Dominicana.

This checklist shows the known genera of Braconidae that occur in Colombia and the Neotropical Region and includes additional information and references on their biology. Neotropical distribution records are mostly based on Wharton et al. (1997) and Shaw (1995). The Neotropical Region is regarded on its broad sense since this group has been poorly studied and the distribution boundaries are not clear; some of the distribution records make reference to the country where the type specimen was found. The genera checklist for Colombia is preliminary according to the known distributions per natural region. Distributions with an asterisk () are new findings for the Neotropics and/or Colombia. The checklist also includes references, some of them showing in parenthesis the former name used at the time of the study, but that has become a synonym (for details consult the appendix containing the synonymic list). Likewise, host information and notes on the biology are included: (Endo) endoparasitoid; (Ecto) ectoparasitoid; (K) Kionobiont; (I) Idiobiont and (D) Unknown. Other abbreviations appear under Neotropical Distribution: ne = Neotropics, sa = South America, cam = Central America, ica = Caribbean Islands and rd = Dominican Republic.*

Taxón <i>Taxon</i>	Distribución Neotropical <i>Neotropical Distribution</i>	Distribución en Colombia <i>Distribution in Colombia</i>	Referencia Bibliográfica <i>Bibliographic Reference</i>	Hospedero <i>Host</i>	Biología <i>Biology</i>
ADELIINAE					
<i>Adelius</i> Haliday, 1833	ne		Whitfield & Wagner 1991	Lepidoptera	Endo D
<i>Paradelius</i> de Saeger, 1942	cam		Whitfield 1989	Lepidoptera	Endo D
AGATHIDINAE					
<i>Aerophilus</i> Szépligeti, 1902	sa		Sharkey 1992	D	Endo K
<i>Alabagrus</i> Enderlein, 1920	ne	amz and car	Sharkey 1988	Pyralidae	Endo K
<i>Bassus</i> Fabricius, 1804	ori pac	and car ori pac	Sharkey 1985	Gelechiidae, Noctuidae, Pyralidae, Tortricidae, Tineidae, Coleophoridae	Endo K

Taxón Taxon	Distribución Neotropical Neotropical Distribution	Distribución en Colombia Distribution in Colombia	Referencia Bibliográfica Bibliographic Reference	Hospedero Host	Biología Biology
<i>Coccygidium</i> de Saussure, 1892	ne	amz and car ori	Sharkey 1992		Endo K
<i>Crassomicrodus</i> Ashmead, 1900	ne		Sharkey 1992	Noctuidae	Endo K
<i>Cremmops</i> Foerster, 1862	ne	and car	Berta de Fernández 1998; Marsh 1961	Pyralidae	Endo K
<i>Dichelosus</i> Szépligeti, 1902	cam sa	amz and ori pac	Sharkey 1992	D	Endo K
<i>Earinus</i> Wesmael, 1837	sa	and pac	Sharkey 1992	Gracillariidae, Tineidae, Noctuidae, Geometridae, Coleophoridae, Torticidae,	Endo K
<i>Labagathis</i> Enderlein, 1920	sa		Oecophoridae	D	Endo K
<i>Liopisa</i> Enderlein, 1920	cam sa	and	Sharkey 1992	D	Endo K
<i>Marjoriella</i> Sharkey, 1983	sa	amz	Sharkey 1992	D	Endo K
<i>Mesocoelus</i> Schulz, 1911	cam sa		Sharkey 1983	van Achterberg 1990	Endo K
<i>Pharpa</i> Sharkey, 1986	cam sa	and pac	van Achterberg 1990	Gracillariidae	Endo K
<i>Plesiocoelus</i> van Achterberg, 1990	cam sa	and pac	Sharkey 1986	D	Endo K
<i>Sesiociontus</i> Viereck, 1912	cam sa	amz pac car	van Achterberg 1990	D	Endo K
<i>Trachagathis</i> Viereck, 1912	sa	and	Briceño 1999	D	Endo K
<i>Zacremnops</i> Sharkey & Warton, 1985	ne	car ori pac	Sharkey 1992	D	Endo K
<i>Zamicrodus</i> Viereck, 1912	cam sa	amz ori	Sharkey 1990	Pyralidae	Endo K
			Sharkey 1992	D	Endo K
ALYSIINAE					
<i>Alysia</i> Latreille, 1804	me	and	Wharton 1988b	Anthomyiidae, Tephritidae, Calliphoridae, Muscidae, Sarcophagidae, Heleomyzidae	Endo K
<i>Alysiasta</i> Wharton, 1980	cam		Wharton 1980	Sarcophagidae	Endo K
<i>Anisocyrta</i> Foerster, 1862	me		Wharton 1984a; Achterberg 1986	D	Endo K
<i>Aphaereta</i> Foerster, 1862	ne	and	Wharton 1994	Diptera Calliptrata	Endo K
<i>Asobara</i> Foerster, 1862	ne	and	Wharton 1984a, 1994	Drosophilidae, Sepsidae, Tephritidae	Endo K
<i>Aspilota</i> Foerster, 1862	ne	and	van Achterberg 1988a; Wharton 1985	Phoridae, Platypezidae	Endo K
<i>Chaenusa</i> Haliday, 1839	ar ch		Griffiths 1964	Ephydriidae	Endo K
<i>Chorebus</i> Haliday, 1833	ne		Griffiths 1964	Agromyzidae, Ephydriidae	Endo K
<i>Coelinius</i> Nees, 1818	me		Wharton 1994	Chloropidae	Endo K
<i>Coloneura</i> Foerster, 1862	me		Griffiths 1964; van Achterberg 1976a	Agromyzidae	Endo K
<i>Cratospila</i> Foerster, 1862	cam sa	and	Wharton 1980	D	Endo K
<i>Dacnusa</i> Haliday, 1833	me ch		Griffiths 1964	Agromyzidae, Drosophilidae	Endo K
<i>Dapsilarthra</i> Foerster, 1862	cam		van Achterberg 1983a, Griffiths 1968a, 1968b	Agromyzidae, Anthomyiidae	Endo K
<i>Dapsildiastema</i> Wharton, 1994	sa		Wharton 1994	D	Endo K
<i>Dinotrema</i> Foerster, 1862	ne		van Achterberg 1988a; Wharton 1985	Phoridae	Endo K
<i>Exotela</i> Foerster, 1862	me		Griffiths 1964, 1966a, 1966b, 1968a	Agromyzidae	Endo K
<i>Gnathopleura</i> Wharton, 1980	ne	amz and	Wharton 1980	Calliphoridae, Muscidae, Sarcophagidae	Endo K
<i>Hoplitalysia</i> Ashmead, 1900	me		Wharton 1980	D	Endo K
<i>Idiasta</i> Foerster, 1862	sa	and	Wharton 1980	D	Endo K
<i>Ilatha</i> Fischer, 1975	ne	and	Wharton 1980	D	Endo K
<i>Mesocrina</i> Foerster, 1862	me		Wharton 1980; van Achterberg 1983a	D	Endo K
<i>Microcrasis</i> Fischer, 1975	cam sa	and	Fischer 1975	Lonchaeidae, Tephritidae	Endo K
<i>Oenonogastra</i> Ashmead, 1900	ne	and	Fischer 1974	Agromyzidae	Endo K
<i>Orthostigma</i> Ratzeburg, 1844	cam		Wharton 1980; van Achterberg 1988a	Phoridae	Endo K

Taxón <i>Taxon</i>	Distribución Neotropical <i>Neotropical Distribution</i>	Distribución en Colombia <i>Distribution in Colombia</i>	Referencia Bibliográfica <i>Bibliographic Reference</i>	Hospedero <i>Host</i>	Biología <i>Biology</i>
<i>Pentapleura</i> Foerster, 1862	cam sa	and	Wharton 1980, 1984b	Sphaeroceridae	Endo K
<i>Phaenocarpa</i> Foerster, 1862	ne		Papp 1969	D	Endo K
<i>Symphya</i> Foerster, 1862	me		Rohwer 1914; Griffiths 1964	Agromyzidae	Endo K
<i>Tanycarpa</i> Foerster, 1862	ne		Wharton 1980	Drosophilidae	Endo K
<i>Vachterbergia</i> Warthon, 1994	sa		Wharton 1994	D	Endo K
APHIDIINAE					
<i>Aphidius</i> Nees, 1818	ne	and	Pungerl 1983, 1986	Aphidiidae, Thelaxidae, Drepanosiphidae	Endo K
<i>Binodoxys</i> Mackauer, 1960	ne		Starý 1995	Aphidiidae	Endo K
<i>Diaeretiella</i> Starý, 1960	ne		Read <i>et al.</i> 1970	Aphidiidae	Endo K
<i>Ephedrus</i> Haliday, 1833	ne		Gardenfors 1986;	Aphidiidae, Drepanosiphidae,	Endo K
<i>Lysiphlebus</i> Foerster, 1862	ne	and pac	Starý 1995	Pemphigidae, Anoeciidae	
<i>Monoctonus</i> Haliday, 1833	me ch		Smith 1944; Gardenfors 1986;	Aphidiidae, Anoeciidae	Endo K
<i>Praon</i> Haliday, 1833	ne		Starý 1995	Aphidiidae, Thelaxidae, Drepanosiphidae	Endo K
<i>Pseudopraon</i> Starý, 1975	me		Johnson 1987	Aphidiidae, Lachnidae, Thelaxidae, Drepanosiphidae	
<i>Pseudephedrus</i> Starý, 1972	ne		Starý 1975	Aphidiidae	Endo K
<i>Quadrictonus</i> Starý & Remaudiere, 1982	me		Starý 1972, 1976, 1994	Aphidiidae	Endo K
<i>Adialytus</i> Foerster, 1862	me		Starý & Remaudiere 1982; van Achterberg 1989	Aphidiidae, Thelaxidae, Drepanosiphidae	
<i>Lysaphidus</i> Smith, 1944	me		Marsh 1979a (como subgénero de <i>Lysiphlebus</i>)	Aphidiidae	
<i>Trioxys</i> Haliday, 1833	me		Smith 1944; Marsh 1979a	Aphidiidae, Thelaxidae, Drepanosiphidae	
Starý 1981			Smith 1944; Starý 1981		
APOZYGINAE					
<i>Apozyx</i> Mason, 1978	ch		Mason 1978; Sharkey & Wahl 1992	D	D D
BETYLOBRACONINAE					
<i>Conobregma</i> van Achterberg, 1995	ica rd		van Achterberg 1995b	D	D K
<i>Jannya</i> van Achterberg, 1995	cam sa		van Achterberg 1995b	D	D K
BLACINAE					
<i>Apoblacus</i> van Achterberg, 1976	ch		van Achterberg 1976b, 1988b	D	D D
<i>Blacozona</i> van Achterberg, 1988	ar		van Achterberg 1976b, 1988b	D	D D
<i>Blacus</i> Nees, 1818	ne	and amz car	van Achterberg 1988b	Coleoptera	D D
<i>Chalarope</i> van Achterberg, 1988	ch		van Achterberg 1988b	D	D D
<i>Glyptoblacus</i> van Achterberg, 1995	ho		van Achterberg 1995a	D	D D
<i>Grypokeros</i> van Achterberg, 1988	ch		van Achterberg 1988b	D	D D
<i>Mesoxiphium</i> van Achterberg, 1976	ch		van Achterberg 1976b, 1988b	D	D D
<i>Stegnocella</i> van Achterberg, 1976	ch		van Achterberg 1976b, 1988b	D	D D
BRACONINAE					
<i>Alienoclypeus</i> Shenefelt, 1978	me		Mason 1978		
<i>Atanycolus</i> Foerster, 1862	cam sa	and	Shenefelt 1943	Cerambycidae, Buprestidae	Ecto I
<i>Bracon</i> Fabricius, 1804	ne	amz and car	Muesebeck 1925	Larvas de Lepidoptera, Coleoptera y Diptera	Ecto I
		ori pac			

Taxón Taxon	Distribución Neotropical Neotropical Distribution	Distribución en Colombia Distribution in Colombia	Referencia Bibliográfica Bibliographic Reference	Hospedero Host	Biología Biology
<i>Calobracon</i> Szépligeti, 1902	sa	and ori	Shenefelt 1978	D	Ecto I
<i>Cervellus</i> Szépligeti, 1904	sa ica	and	Fahringer 1930	Larvas de Coleoptera	Ecto I
<i>Coeloides</i> Wesmael, 1838	me		Mason 1978	Scolytidae, Curculionidae, Buprestidae	
<i>Compsobracon</i> Ashmead, 1900	ne	amz and car	Mason 1978;	Pyralidae	Ecto I
<i>Compsobraconoides</i> Quicke, 1989	ne	ori pac	Shenefelt 1978		
<i>Compsobraconoides</i> Quicke, 1989	ne	and car ori pac	Quicke & Sharkey 1989	D	Ecto I
<i>Cyanopterus</i> Haliday, 1835	ne	amz and car	Quicke & Sharkey 1989	Larvas de Coleoptera	Ecto I
<i>Cyclaulacidea</i> Quicke & Delobel, 1995	ne	ori pac	Quicke & Delobel 1995	y Lepidoptera Bruchidae y Curculionidae	Ecto I
<i>Cyclaulax</i> Cameron, 1911	ne	and ori pac	Shenefelt 1978	D	Ecto I
<i>Digonogastra</i> Viereck, 1912	ne	amz and car	Quicke 1988c, 1989a	Larvas de Coleoptera	Ecto I
<i>Gnathobracon</i> Costa, 1864	pe	ori pac	Quicke & Huddleston 1991	y Lepidoptera D	Ecto I
<i>Gracilibracon</i> Quicke, 1995	ne	and ori pac	Quicke 1995	D	Ecto I
<i>Habrobracon</i> Ashmead, 1895	ne	and	Fischer 1968a	Larvas de Coleoptera, Lepidoptera, Diptera e Hymenoptera	Ecto I
<i>Hemibracon</i> Szépligeti, 1906	cam sa	amz and car	Shenefelt 1978	D	Ecto I
<i>Lasiophorus</i> Haliday, 1838	ne	ori pac	Fahringer 1930;		
<i>Leptobracon</i> Szépligeti, 1901	ne	and ori	Quicke 1989a	D	Ecto I
<i>Megabracon</i> Szépligeti, 1906	ne	amz	Fahringer 1930	D	Ecto I
<i>Megacoeloides</i> Quicke, 1989	pe		Quicke 1989b	D	Ecto I
<i>Myosoma</i> Brullé, 1846	ne	and pac	Mason 1978	Pyralidae	Ecto I
<i>Myosomatoides</i> Quicke, 1994	ne		Quicke 1994	Pyralidae	Ecto I
<i>Palabracon</i> Quicke, 1988	cam sa		Quicke 1988b	Pyralidae	Ecto I
<i>Pheloura</i> van Achterberg, 1989	cam sa		Achterberg 1989	D	Ecto I
<i>Sacirema</i> Quicke, 1995	ne	amz and pac	Quicke 1995	D	Ecto I
<i>Vipiomorpha</i> Tobias, 1962	sa		Tobias 1986	Larvas de Coleoptera	
<i>Vipio</i> Latreille, 1804	cam sa	and ori	Wharton & Mason 1991; ICZN 1994	y Lepidoptera	Ecto I
CARDIOCHILINAE					
<i>Cardiochiles</i> Nees, 1818	ne	and car	Dangerfield <i>et al.</i> 1999	Lepidoptera	Endo K
<i>Hansonia</i> Dangerfield, 1996	cam		Dangerfield <i>et al.</i> 1999	Apatelodidae	Endo K
<i>Heteropteron</i> Brullé, 1846	br		Dangerfield <i>et al.</i> 1999	D	Endo K
<i>Neocardiochiles</i> Szépligeti, 1908	su br	amz *	Dangerfield <i>et al.</i> 1999	D	Endo K
<i>Schoenlandella</i> Cameron, 1904	ne		Dangerfield <i>et al.</i> 1999	Lepidoptera	Endo K
<i>Toxoneuron</i> Say, 1836	ne	car	Mao 1945, 1949	Noctuidae	Endo K
<i>Wesmaeella</i> Spinola, 1853	sa		Dangerfield <i>et al.</i> 1999	D	Endo K
CENOCOELIINAE					
<i>Aulacodes</i> Cresson, 1865	ica		van Achterberg 1994a	D	Endo K
<i>Capitonius</i> Brullé, 1846	ne	amz and ori pac	Saffer 1977, 1982;	Curculionidae	Endo K
<i>Cenocoelius</i> Haliday, 1840	ne	amz and	van Achterberg 1994a	Curculionidae, Cerambycidae, Buprestidae, Scolytidae	Endo K
<i>Evaniomorpha</i> Szépligeti, 1901	br		Saffer 1982;		
<i>Foenomorpha</i> Szépligeti, 1904	su pe		van Achterberg 1994a	D	Endo K
CHELONINAE					
<i>Ascogaster</i> Wesmael, 1835	ne		van Achterberg 1994a	D	Endo K
<i>Chelonus</i> Panzer, 1806	ne	amz and car pac	van Achterberg 1994a	Gelechiidae, Pyralidae, Noctuidae	Endo K
			Shaw 1983	Tortricidae	

Taxón <i>Taxon</i>	Distribución Neotropical <i>Neotropical Distribution</i>	Distribución en Colombia <i>Distribution in Colombia</i>	Referencia Bibliográfica <i>Bibliographic Reference</i>	Hospedero <i>Host</i>	Biología <i>Biology</i>
<i>Dentigaster</i> Zettel, 1990	cam sa		Zettel 1990a	D	Endo K
<i>Fischeriella</i> Zettel, 1990	sa	amz	Zettel 1990a	D	Endo K
<i>Leptochelonus</i> Zettel, 1990	ch		Zettel 1990a	D	Endo K
<i>Leptodrepana</i> Shaw, 1990	ne	and amz car	Shaw 1983	Plutellidae	Endo K
<i>Microchelonus</i> Szépligeti, 1908	ne		McComb 1968	Lyonetiidae, Gracillaridae, Cosmopterigidae, Gelechiidae, Yponomeutidae, Pyralidae, Tortricidae, Cochylidae	Endo K
<i>Phanerotoma</i> Wesmael, 1838	ne	and car	Zettel 1989a, 1989b, 1990b, 1991, 1992a, 1992b	Pyralidae, Gellechiidae, Tortricidae	Endo K
<i>Phanerotomoides</i> Zettel, 1990	br		Zettel 1990a	D	Endo K
<i>Pseudophanerotoma</i> Zettel, 1990	ne	and car	Zettel 1990a	D	Endo K
DIRRHOPINAE					
<i>Dirrhope</i> Foerster, 1861	cam		van Achterberg 1984a	D	D D
DORYCTINAE					
<i>Acanthorhogas</i> Szépligeti, 1906	ne		Shenefelt & Marsh 1976	D	Ecto I
<i>Achterbergia</i> Marsh, 1993	cam sa	pac	Marsh 1993	D	Ecto I
<i>Acrophasmus</i> Enderlein, 1912	ne		Marsh 1968; Shenefelt & Marsh 1976	Lyctidae, Bostrichidae	Ecto I
<i>Aivalykus</i> Nixon, 1838	ne		Marsh 1965	Scolytidae	Ecto I
<i>Aphelopsia</i> Marsh, 1993	cam sa		Marsh 1993	D	Ecto I
<i>Araucania</i> Marsh, 1993	sa	ori *	Marsh 1993	D	Ecto I
<i>Atopodoryctes</i> Marsh, 1993	ica		Marsh 1993	D	Ecto I
<i>Binarea</i> Brullé, 1846	ne		Shenefelt & Marsh 1976	D	Ecto I
<i>Bohartiellus</i> Marsh, 1983	cam sa		Marsh 1983b	D	Ecto I
<i>Caiungaria</i> Marsh, 1993	br		Marsh 1993	D	Ecto I
<i>Callihormius</i> Ashmead, 1900	ne	car	Marsh 1966	Buprestidae y Cerambycidae	Ecto I
<i>Coiba</i> Marsh, 1993	cam ica		Marsh 1993	D	Ecto I
<i>Curtisella</i> Spinola, 1853	ne		Shenefelt & Marsh 1976	D	Ecto I
<i>Cyphodoryctes</i> Marsh, 1997	br		Marsh 1997	D	Ecto I
<i>Dendrosoter</i> Wesmael, 1838	ne	Marsh 1967; Shenefelt & Marsh 1976	Scolytidae	Ecto I	
<i>Donquickeia</i> Marsh, 1997	br		Marsh 1997	D	Ecto I
<i>Doryctes</i> Haliday, 1836	ne		Marsh 1969; Shenefelt & Marsh 1976	Larvas de Coleoptera barrenadores de madera	Ecto I
<i>Ecphyloides</i> Marsh, 1993	br		Marsh 1993	D	Ecto I
<i>Ecphylylus</i> Foerster, 1862	cam		Marsh 1965	Scolytidae, Bostrichidae, Lyctidae	Ecto I
<i>Evaniodes</i> Szépligeti, 1901	br pe	ori	Shenefelt & Marsh 1976; Fischer 1981a	D	Ecto I
<i>Fritziella</i> Marsh, 1993	br		Marsh 1993	D	Ecto I
<i>Glyptocolastes</i> Ashmead, 1900	ne		Marsh 1968; Marsh 1993	Bruchidae, Bostrichidae	Ecto I
<i>Guaygata</i> Marsh, 1993	ica	and	Marsh 1993	D	Ecto I
<i>Gymnobracon</i> Szépligeti, 1902	ne		Shenefelt & Marsh 1976	D	Ecto I
<i>Hecabolus</i> Curtis, 1834	ar		Shenefelt & Marsh 1976	Scolytidae, Bostrichidae	Ecto I
<i>Heerz</i> Marsh, 1993	cr br	and pac amz ori	Marsh 1993	D	Ecto I
<i>Heterospilus</i> Haliday, 1836	ne		Marsh 1982a, 1982b	Larvas de Coleoptera barrenadores de madera	Ecto I

Taxón Taxon	Distribución Neotropical <i>Neotropical Distribution</i>	Distribución en Colombia <i>Distribution in Colombia</i>	Referencia Bibliográfica <i>Bibliographic Reference</i>	Hospedero Host	Biología <i>Biology</i>
<i>Histeromeroides</i> Marsh, 1993	ne		Marsh 1993	D	Ecto I
<i>Holcobracon</i> Cameron, 1905	ica		Marsh 1988	D	Ecto I
<i>Hybodoryctes</i> Szépligeti, 1906	ne		Shenefelt & Marsh 1976	D	Ecto I
<i>Janzenia</i> Marsh, 1993	me cr		Marsh 1993	D	Ecto I
<i>Johnsonius</i> Marsh, 1993	cam sa		Marsh 1993	D	Ecto I
<i>Labania</i> Hedqvist, 1963	cam ica		Hedqvist 1963; Wharton 1993b	Formador de agallas en <i>Ficus colubrinae</i>	Ecto I
<i>Leluthia</i> Cameron, 1887	ne		Marsh 1967; Shenefelt & Marsh 1976	Buprestidae	Ecto I
<i>Liobracon</i> Szépligeti, 1901	ne	and	Shenefelt & Marsh 1976	D	Ecto I
<i>Masonius</i> Marsh, 1993	cam		Marsh 1993	D	Ecto I
<i>Megaloprotus</i> Shulz, 1906	ne	and pac	Marsh 1983a	D	Ecto I
<i>Micrommatus</i> Marsh, 1993	br		Marsh 1993	D	Ecto I
<i>Mixtec</i> Marsh, 1993	me		Marsh 1993; Belokobyl'skij 1995 (como <i>Hypodoryctes</i>)	D	Ecto I
<i>Monarea</i> Szépligeti, 1904	ne	amz *	Shenefelt & Marsh 1976	D	Ecto I
<i>Monolexis</i> Foerster, 1862	ne	and	Marsh 1965; Shenefelt & Marsh 1976	Lyctidae, Scolytidae	Ecto I
<i>Mononeuron</i> Fischer, 1981	br		Fischer 1981b	D	Ecto I
<i>Nervellius</i> Roman, 1924	ne	amz	Marsh 1988	D	Ecto I
<i>Notiuspathius</i> Matthews y Marsh, 1973	ne	pac	Matthews & Marsh 1973	D	Ecto I
<i>Odontobracon</i> Cameron, 1887	ne	amz ori		Cerambycidae	Ecto I
<i>Osmophila</i> Szépligeti, 1902	ne		Shenefelt & Marsh 1976	D	Ecto I
<i>Pambolidea</i> Ashmead, 1900	me		Shenefelt & Marsh 1976	Scolytidae, Bostrichidae	
<i>Panama</i> Marsh, 1993	pn		Marsh 1993	D	Ecto I
<i>Parallorrhagas</i> Marsh, 1993	ne		Marsh 1993	Pyralidae, Bruchidae, Bostrichidae	Ecto I
<i>Pariodes</i> Fischer, 1981	br		Fischer 1981a	D	Ecto I
<i>Pedinotus</i> Szépligeti, 1902	ne	and	Shenefelt & Marsh 1976	Scolytidae	Ecto I
<i>Percnobracon</i> Kieffer, 1910	ne		Muesebeck 1958; Shenefelt & Marsh 1976	Cecidomyiidae	Ecto I
<i>Percnobraconoides</i> Marsh, 1989	me		Marsh 1989	Bostrichidae	
<i>Psenobolus</i> Reinhard, 1885	cr br		Shenefelt & Marsh 1976; Ramírez & Marsh 1996	D	Ecto I
<i>Ptesimogaster</i> Marsh, 1965	cb		Marsh 1965	D	Ecto I
<i>Rhaconotus</i> Ruthe, 1854	ne		Marsh 1976; Shenefelt & Marsh 1976	Coleoptera barrenadores de tallos	Ecto I
<i>Rhoptocentroides</i> Marsh, 1993	cr br		Marsh 1993; Belokobyl'skij 1995 (como <i>Pseudorhoptocentrus</i>)	D	Ecto I
<i>Semirhytus</i> Szépligeti, 1902	ne		Shenefelt & Marsh 1976	D	Ecto I
<i>Sericobracon</i> Shaw, 1985	tt		Shaw & Edgerly 1985	Embidiina	Ecto I
<i>Sharkeyella</i> Marsh, 1993	cam sa	amz	Marsh 1993	D	Ecto I
<i>Shawius</i> Marsh, 1993	br ar		Marsh 1993	D	Ecto I
<i>Spathius</i> Nees, 1818	ne		Matthews 1970; Shenefelt & Marsh 1976	Coleoptera barrenadores de madera	Ecto I

Taxón <i>Taxon</i>	Distribución Neotropical <i>Neotropical Distribution</i>	Distribución en Colombia <i>Distribution in Colombia</i>	Referencia Bibliográfica <i>Bibliographic Reference</i>	Hospedero Host	Biología <i>Biology</i>
<i>Stenocorse</i> Marsh, 1968	ne	and	Marsh 1968; Shenefelt & Marsh 1976	Bruchidae	Ecto I
<i>Tarasco</i> Marsh, 1993	me		Marsh 1993	D	
<i>Trigonophasmus</i> Enderlein, 1912	ne	and pac	Shenefelt & Marsh 1976	D	Ecto I
<i>Tripteria</i> Enderlein, 1912	br		Shenefelt & Marsh 1976	D	Ecto I
<i>Verae</i> Marsh, 1993	br		Marsh 1993	D	Ecto I
<i>Waitaca</i> Marsh, 1993	br		Marsh 1993	D	Ecto I
<i>Whartonius</i> Marsh, 1993	cam sa	and	Marsh 1993	Curculionidae	Ecto I
<i>Whitfieldiellus</i> Marsh, 1997	me pn		Marsh 1997	D	Ecto I
EUPHORINAE					
<i>Aridelus</i> Marshall, 1887	ne	ori	Papp 1965	Pentatomidae	Endo K
<i>Bracteodes</i> de Saeger, 1946	cam		Shaw 1985	D	Endo K
<i>Centistes</i> Haliday, 1835	ne	and	Shaw 1995	Curculionidae, Chrysomelidae, Carabidae	Endo K
<i>Centistina</i> Enderlein, 1912	ne		Shaw 1985	D	Endo K
<i>Centistoides</i> van Achterberg, 1992	su		Achterberg 1992a	D	Endo K
<i>Chrysopophthours</i> Goidanich, 1948	cam sa ica		Mason 1964	Chrysopidae	Endo K
<i>Cosmophorus</i> Ratzeburg, 1848	ica		Shaw 1985	Scolytidae	Endo K
<i>Cryptoxilos</i> Viereck, 1911	ne		Shaw 1985	Scolytidae	Endo K
<i>Dinocampus</i> Foerster, 1862	ne	and	Shaw 1985	Coccinellidae	Endo K
<i>EuphorIELLA</i> Ashmead, 1900	ne	and	Loan & New 1971	Pscoptera	Endo K
<i>Falcosyntretus</i> Tobias, 1965	ne		Tobias 1965; Shaw 1985	D	Endo K
<i>Holdawayella</i> Loan, 1967	ne		Loan 1967	Tingidae	Endo K
<i>Lecythodella</i> Enderlein, 1912	ne		D	Endo K	
<i>Leiophron</i> Nees, 1818	ne		Loan 1974	Miridae	Endo K
<i>Litostolus</i> van Achterberg, 1985	cam		van Achterberg 1985	D	Endo K
<i>Marshiella</i> Shaw, 1985	cam	cam	Shaw 1985	Anthicidae	Endo K
<i>Microctonus</i> Wesmael, 1835	ne	and	Loan 1969	Curculionidae, Chrysomelidae, Carabidae	Endo K
<i>Orionis</i> Shaw, 1985	cam	car and pac amz	Shaw 1987	D	Endo K
<i>Perilitus</i> Nees, 1818	ne	and	Shaw 1985	Curculionidae, Chrysomelidae	Endo K
<i>Peristenus</i> Foerster, 1862	cam		Loan 1974	Miridae	Endo K
<i>Plynops</i> Shaw, 1996	cam sa	pac amz	Shaw 1996	D	Endo K
<i>Pygostolus</i> Haliday, 1833	ne		van Achterberg 1985	Curculionidae	Endo K
<i>Syntretus</i> Foerster, 1862	ne		Marsh 1979b; Shaw 1985	Ichneumonidae, Apidae	Endo K
<i>Townesilitus</i> Haeselbarth & Loan, 1983	ne	and	Haeselbarth y Loan 1983	Chrysomelidae	Endo K
<i>Wesmaelia</i> Foerster, 1862	ne		Shaw 1985, Shaw 1997	Nabidae	
GNAMPTODONTINAE					
<i>Gnamptodon</i> Haliday, 1833	ne		Fischer 1977, Achterberg 1983c	Nepticulidae	D D
<i>Pseudognaptodon</i> Fischer, 1964	ne	and *	Whitfield & Wagner 1991; Fischer 1977	Nepticulidae	D D
HELCONINAE					
<i>Aliolus</i> Say, 1836	co	and	Martin 1956	Cerambycidae, Curculionidae, Mordellidae	Endo K
<i>Baeacis</i> Foerster, 1878	ne	and	Marsh 1979b	Anobiidae, Cerambycidae	Endo K
<i>Diospilus</i> Haliday, 1833	ne		Mason 1968	Anobiidae, Nitidulidae, Curculionidae	Endo K

Taxón Taxon	Distribución Neotropical Neotropical Distribution	Distribución en Colombia Distribution in Colombia	Referencia Bibliográfica Bibliographic Reference	Hospedero Host	Biología Biology
<i>Eubazus</i> Nees, 1814	ne	and amz ori car pac	Mason 1974	Curculionidae, Bruchidae	Endo K
<i>Helcon</i> Nees, 1814	ne		Marsh 1979b	Cerambycidae	Endo K
<i>Nealiolus</i> Mason, 1974	ne	and	Marsh 1979b	Curculionidae	Endo K
<i>Schizoprymnus</i> Foerster, 1862	ne	and car		Mordellidae	Endo K
<i>Topaldios</i> Papp, 1995	ar ch		Papp 1995	D	Endo K
<i>Triaspis</i> Haliday, 1835	ne	and ori car pac	Martin 1956	Curculionidae, Bruchidae	Endo K
<i>Urosigalpus</i> Ashmead, 1888	ne	and amz	Gibson 1972a, 1972b, 1974		Endo K
<i>Vadum</i> Mason, 1987	co *	and	Mason 1987	D	Endo K
<i>Wroughtonia</i> Cameron, 1899	co *		van Achterberg 1987a (como <i>Wroughtoniay Helconidea</i>)	Cerambycidae	Endo K
HOMOLOBINAE					
<i>Charmon</i> Haliday, 1833	me		van Achterberg 1979	Tortricidae, Gelechiidae, Oecophoridae, Pyralidae	
<i>Charmontia</i> van Achterberg, 1979	ch		van Achterberg 1979	D	
<i>Exasticolus</i> van Achterberg, 1979	cam sa	and amz car ori	van Achterberg 1979	Lasiocampidae	Endo K
<i>Homolobus</i> Foerster, 1862	ne	and amz car ori	van Achterberg 1979	Noctuidae, Geometridae	Endo K
HORMIINAE					
<i>Acrisis</i> Foerster, 1862	cam		Belokobyl'skij 1993a; Tobias 1993	D	Ecto I
<i>Allobracon</i> Gahan, 1915	ne		Wharton 1993b, Clark 1965	Lepidoptera, Buprestidae, Chrysomelidae	Ecto I
<i>Aspilodemon</i> Fischer, 1966	cam sa	and	Fischer 1966; Wharton 1988a	D	Ecto I
<i>Cantharactonus</i> Viereck, 1912	cam sa		Whitfield & van Achterberg 1987	Lyonetidae	Ecto I
<i>Chremylus</i> Haliday, 1833	ch		Belokobyl'skij 1987a, 1987b, 1993a, 1993b; Wharton 1993b	Coleoptera	
<i>Colastes</i> Haliday, 1833	me br		Belokobyl'skij & Tobias 1986; van Achterberg 1983b	Lepidoptera, Coleoptera, Hymenoptera, Diptera	Ecto I
<i>Hormius</i> Nees, 1818	ne	and amz car ori	Hedqvist 1963; Wharton 1993b; Infante et al. 1995	Gelechiidae, Tortricidae, Coleophoridae	Ecto I
<i>Hydrangeocola</i> Brethes, 1927	ch co	and *	Wharton 1988a, 1993b, Fischer 1968b (como <i>Kephaloneuma</i>)	Formador de agallas en <i>Hydrangea</i>	Ecto I
<i>Lysitermus</i> Foerster, 1862	cam ica		Wharton 1993b	Psychidae	Ecto I
<i>Monitoriella</i> Hedqvist, 1963	cam sa		Hedqvist 1963; Wharton 1993b; Infante et al. 1995	Formador de agallas en <i>Philodendron</i>	Ecto I
<i>Oncophanes</i> Foerster, 1862	me		Belokobyl'skij 1993a, 1993b	Tortricidae	
<i>Pambolus</i> Haliday, 1836	cam sa	and amz car pac	Belokobyl'skij 1986, 1987a, 1987b, 1993a, 1993b	Buprestidae y Chrysomelidae	Ecto I
<i>Parahormius</i> Nixon, 1940	cam		Wharton 1993b	Coleophoridae, Cosmopterygidae, Gelechiidae y Lyonetidae	Ecto I
<i>Proacrisis</i> Tobias, 1983	me		Tobias 1983; Belokobyl'skij 1993a, 1993b	D	

Taxón <i>Taxon</i>	Distribución Neotropical <i>Neotropical Distribution</i>	Distribución en Colombia <i>Distribution in Colombia</i>	Referencia Bibliográfica <i>Bibliographic Reference</i>	Hospedero Host	Biología <i>Biology</i>
<i>Rhysipolis</i> Foerster, 1862	me		Belokobyl'skij & Tobias 1986; Belokobyl'skij 1993a, 1993b	Gracillariidae	
<i>Shawiana</i> Achterberg, 1983	me br		Shaw & Huddleston 1991; Belokobyl'skij 1993a (como <i>Colastes</i>)	Tenthredinidae	
<i>Xenarcha</i> Foerster, 1862	me		Shaw 1983; van Achterberg 1983b	Tenthredinidae	
<i>Xenosternum</i> Muesebeck, 1935	me		Belokobyl'skij 1993a, 1993b; van Achterberg 1983b	Gelechiidae, Cosmopterygidae, Gracillariidae	
ICHNEUTINAE					
<i>Hebicneutes</i> Sharkey & Wharton, 1994	cam sa		Sharkey & Wharton 1994	D	Endo K
<i>Helconichia</i> Sharkey & Wharton, 1994			Sharkey & Wharton 1994	D	Endo K
<i>Lispixys</i> Mason, 1994	ne		Mason 1969, 1991; Sharkey & Wharton 1994		Endo K
<i>Masonbeckia</i> Sharkey & Wharton, 1994	cam sa		Sharkey & Wharton 1994	Argidae	Endo K
<i>Muesonia</i> Sharkey & Wharton, 1994	ne		Sharkey & Wharton 1994	D	Endo K
<i>Oligoneurus</i> Szépligeti, 1902	ne		Whitfield & Wagner 1991; Sharkey & Wharton 1994	Lyonetiidae	Endo K
<i>Paroligoneurus</i> Muesebeck, 1931	ne		Whitfield & Wagner 1991; Sharkey & Wharton 1994	Nepticulidae	Endo K
<i>Proterops</i> Wesmael, 1835	ne		Whitfield & Wagner 1991; Sharkey & Wharton 1994	Argidae	Endo K
MACROCENTRINAE					
<i>Astrozele</i> Roman, 1910	cam sa		Mason 1977	Geometridae	Endo K
<i>Dolichozele</i> Viereck, 1911	ne		van Achterberg 1993	Arctiidae	Endo K
<i>Hymenochoania</i> Dalla Torre, 1898	cam sa	amz and ori	van Achterberg 1993	Pyralidae, Tortricidae	Endo K
<i>Macrocentrus</i> Curtis, 1833	ne	and ori	Muesebeck 1932	Pyralidae, Tortricidae	Endo K
MASONINAE					
<i>Masonia</i> van Achterberg, 1995	br co	amz *	van Achterberg 1995b	D	D D
MENDESELLINAE					
<i>Epsilogaster</i> Whitfield & Mason, 1994	cam sa		Whitfield & Mason 1994	D	D D
<i>Mendesella</i> Whitfield & Mason, 1994	sa	ori *	Whitfield & Mason 1994	D	D D
METEORIDEINAE					
<i>Meteoridea</i> Ashmead, 1900	ne		van Achterberg 1990	Larvas de Lepidoptera	Endo K
METEORINAE					
<i>Meteorus</i> Haliday, 1835	ne	and car ori amz	Huddleston 1980, 1983	Larvas de Coleoptera y Lepidoptera	Endo K
<i>Zele</i> Curtis, 1832	cam sa	and pac	Mason 1973; van Achterberg 1979, 1984b	Larvas de Lepidoptera	Endo K

Taxón Taxon	Distribución Neotropical Neotropical Distribution	Distribución en Colombia Distribution in Colombia	Referencia Bibliográfica Bibliographic Reference	Hospedero Host	Biología Biology
MICROGASTRINAE					
<i>Alphomellon</i> Mason 1981	ne	and amz	Muesebeck 1920 (como <i>Apanteles</i>); Mason 1981	Hesperiidae	Endo K
<i>Apanteles</i> , Foerster, 1862		and car ori pac	Muesebeck 1920, 1958; Nixon 1965, Mason 1981	Lepidoptera	Endo K
<i>Austrocotesia</i> Austin & Dangerfield, 1992	cam sa		Austin & Dangerfield 1992	D	Endo K
<i>Choeras</i> Mason, 1981	ne		Nixon 1965 (como grupo de <i>Apanteles</i> , <i>Hypomicrogaster</i> y <i>Promicrogaster</i>); Mason 1981	Lepidoptera	Endo K
<i>Clarkinella</i> Mason, 1981	ne		Mason 1981	D	Endo K
<i>Cotesia</i> Cameron, 1891	ne	and ori	Muesebeck 1920 (como <i>Apanteles</i>); Nixon 1965 (como grupo <i>glomeratus</i> de <i>Apanteles</i>); Papp 1986a, 1986b, 1987 (como grupo <i>glomeratus</i> de <i>Apanteles</i>)	Lepidoptera	Endo K
<i>Dasylagon</i> Muesebeck, 1958	sa		Nixon 1965	Sesiidae, Thyrididae	Endo K
<i>Deuterixys</i> Mason, 1981	ne		Whitfield 1985	Bucculatrigidae, Lyonetiidae	Endo K
<i>Diolcogaster</i> Ashmead, 1900	ne		Mason 1981	Lepidoptera	Endo K
<i>Distatrix</i> Mason, 1981	ne		Nixon 1965 (como grupo <i>formosus</i> de <i>Apanteles</i>); Mason 1981	Lepidoptera	Endo K
<i>Dolichogenidea</i> Viereck, 1911	ne	and pac	Muesebeck 1920 (como <i>Apanteles</i>); Mason 1981	Lepidoptera	Endo K
<i>Exix</i> Mason, 1981	ne		Mason 1981	Noctuidae	Endo K
<i>Fornicia</i> Brullé, 1846	ne	and	Papp 1980; Mason 1981; Austin 1987	Limacodidae	Endo K
<i>Glyptapanteles</i> Ashmead, 1904	ne	and	Muesebeck 1920 (como <i>Apanteles</i>); Mason 1981	Pyraloidea	Endo K
<i>Hypomicrogaster</i> Ashmead, 1898	ne	and	Nixon 1965	Lepidoptera	Endo K
<i>Iconella</i> Mason, 1981	ne	and	Muesebeck 1920 (como <i>Apanteles</i>); Nixon 1965 (como grupo <i>sundanus</i> y <i>merula</i> de <i>Apanteles</i>); Mason 1981	Lepidoptera	Endo K
<i>Illidops</i> Mason, 1981	ne		Mason 1981; Wharton 1983	Psychidae, Pyralidae, Scythrididae	Endo K
<i>Larissimus</i> Nixon, 1965	ne		Penteado-Diaz 1997; Mason 1981	Arctiidae	Endo K
<i>Lathrapanteles</i> Williams, 1985	ne		Williams 1985	Noctuidae	Endo K
<i>Microplitis</i> Foerster, 1862	ne	and	Muesebeck 1922; Nixon 1968; Papp 1984; Austin & Dangerfield 1993	Noctuidae, Sphingidae	Endo K
<i>Papanteles</i> Mason, 1981	ne		Nixon 1965 (como el grupo <i>virbius</i> de <i>Hypomicrogaster</i>); Mason 1981	D	Endo K

Taxón <i>Taxon</i>	Distribución Neotropical <i>Neotropical Distribution</i>	Distribución en Colombia <i>Distribution in Colombia</i>	Referencia Bibliográfica <i>Bibliographic Reference</i>	Hospedero <i>Host</i>	Biología <i>Biology</i>
<i>Parapanteles</i> Ashmead, 1900	ne		Mason 1981	Noctuidae, Notodontidae	Endo K
<i>Pholetesor</i> Mason, 1981	sa	and	Mason 1981	Lepidoptera	Endo K
<i>Prasmodon</i> Nixon, 1965	sa		Mason 1981	D	Endo K
<i>Promicrogaster</i> Brues & Richardson, 1913	ne	and	Mason 1981	D	Endo K
<i>Protomicroplitis</i> Ashmead, 1898	ne	and	Muesebeck 1922; Mason 1981	Noctuidae	Endo K
<i>Pseudapanteles</i> Ashmead, 1898	ne		Muesebeck 1920 (como <i>Apanteles</i>); Nixon 1965 (como grupo <i>sesiae</i> y <i>annulicornis</i>); Mason 1981	Gelechiidae	Endo K
<i>Rasivalva</i> Mason, 1981	ne		Mason 1981	Geometridae, Noctuidae, Arctiidae	Endo K
<i>Rhygoplitis</i> Mason, 1981	ne	and	Muesebeck 1920 (como <i>Panteles</i>); Nixon 1968 (como <i>Microgaster</i>); Mason 1981		Endo K
<i>Sathon</i> Mason, 1981	ne		Williams 1988	Lepidoptera	Endo K
<i>Sendaphne</i> Nixon, 1965	ne		Nixon 1965; Mason 1981		Endo K
<i>Snellenius</i> Westwood, 1882	ne		Austin & Dangerfield 1993	Noctuidae, Sphingidae	Endo K
<i>Venanides</i> Mason, 1981	ne		Nixon 1965 (como grupo <i>congoensis</i> de <i>Apanteles</i>); Mason 1981	Pyraloidea, Tortricoidea	Endo K
<i>Venanus</i> Mason, 1981	sa		Mason 1981	Lepidoptera	Endo K
<i>Wilkinsonellus</i> Mason, 1981	ne	and	Nixon 1965 (como grupo <i>daira</i> y <i>henicopus</i> de <i>Panteles</i>); Mason 1981	D	Endo K
<i>Xanthapanteles</i> Whitfield, 1995	ar		Whitfield 1995		Endo K
<i>Xanthomicrogaster</i> Cameron, 1911	ne		Mason 1981	D	Endo K
<i>Xenogaster</i> Mason, 1981	cam sa		Nixon 1965 (como grupo <i>Insolens</i> de <i>Apanteles</i>); Mason 1981	D	Endo K
MICROTYPINAE					
<i>Neomicrotypus</i> van Achterberg, 1992	ch		van Achterberg 1992b	D	
MIRACINAE					
<i>Mirax</i> Haliday, 1833	ne	and	Whitfield & Mason 1994	D	Endo K
OPIINAE					
<i>Biosteres</i> Foerster, 1862	me		Wharton 1987, 1988a	Anthomyiidae	
<i>Diachasmimorpha</i> Viereck, 1913	me		Pemberton & Willard 1918a, 1918b; Ramadan <i>et al.</i> 1989a, 1989b	Tephritidae	
<i>Doryctobracon</i> Enderlein, 1920	ne	and	Fischer 1977; Wharton 1988a; Marsh 1979b	Tephritidae	Endo K
<i>Eurytenes</i> Marshall, 1862	me		Fischer 1972; Wharton 1988a	Agromyzidae	

Taxón Taxon	Distribución Neotropical <i>Neotropical Distribution</i>	Distribución en Colombia <i>Distribution in Colombia</i>	Referencia Bibliográfica <i>Bibliographic Reference</i>	Hospedero Host	Biología <i>Biology</i>
<i>Fopius</i> Wharton, 1987	cr		Wharton 1987; van Achterberg & Maeto 1990	Tephritidae	
<i>Opius</i> Wesmael, 1835	ne	and car	Fischer 1977; Marsh 1979b; Wharton 1988a	Agromyzidae, Anthomyiidae, Chloropidae, Drosophilidae, Ephydriidae, Lonchaeidae, Scathophagidae, Tephritidae	Endo K
<i>Psyllalia</i> Walker, 1860	cr		Fischer 1971, 1987; Wharton 1988a	Tephritidae	
<i>Utetes</i> Foerster, 1862	ne	and	Wharton 1988a	Tephritidae	Endo K
ORGILINAE					
<i>Antestrix</i> van Achterberg, 1987	ch		van Achterberg 1987b	D	
<i>Bentonia</i> van Achterberg, 1992	cam sa	amz and car	van Achterberg 1992c	Noctuidae	Endo K
<i>Orgilus</i> Haliday, 1833	ne	and pac	van Achterberg 1987b	D	Endo K
<i>Podorgilus</i> van Achterberg, 1994	br bo		van Achterberg 1994b	D	Endo K
<i>Stantonia</i> Ashmead, 1904	ne	amz and	van Achterberg 1987b	Tortricidae, Pyralidae	Endo K
ROGADINAE					
<i>Aleiodes</i> Wesmael, 1838	ne	amz and car ori	van Achterberg 1991; Shaw <i>et al.</i> 1997	Noctuoidea, Geometroidea, Arctioidea, Sphingoidea	Endo K
<i>Bulborogas</i> van Achterberg, 1995	ne		van Achterberg 1995b	D	Endo K
<i>Choreborogas</i> Whitfield, 1990	cam sa	and	Whitfield 1990; Achterberg 1995b	Lyonetiidae	Endo K
<i>Clinocentrus</i> Haliday, 1833	ne	and	Marsh 1979b	Tortricidae	Endo K
<i>Cystomastax</i> Szépligeti, 1904	ne	car and amz	Shenefelt 1975	D	Endo K
<i>Macrostomion</i> Szépligeti, 1900	cam sa	amz and	van Achterberg 1991; Shaw <i>et al.</i> 1997	D	Endo K
<i>Polystenidea</i> Viereck, 1911	ne		van Achterberg 1995b	Lyonetiidae	Endo K
<i>Rogas</i> Nees, 1818	ne	amz and ori	van Achterberg 1991	Lymacodidae, Zygaenidae, Riodinidae	Endo K
<i>Stiropius</i> Cameron, 1911	ne	and	Whitfield 1988, 1990; van Achterberg 1995b	Lyonetiidae, Gracilariidae	Endo K
<i>Tetrasphaeraerynx</i> Ashmead 1888	me		Marsh 1979b	D	
<i>Yelicones</i> Cameron, 1887	ne	and *	Quicke <i>et al.</i> 1996; van Achterberg <i>et al.</i> 1997	Pyralidae	Endo K
SIGALPHINAE					
<i>Psephalanus</i> Szépligeti, 1902	sam		van Achterberg 1992d; Sharkey & Janzen 1995	Noctuidae	Endo K
<i>Sigalpus</i> Latreille, 1802	ne	and amz car ori	van Achterberg 1992d; Sharkey & Janzen 1995	Noctuidae	Endo K
YPSISTOCERINAE					
<i>Emboobracon</i> van Achterberg, 1995	pa		van Achterberg 1995b	D	D
<i>Termitobracon</i> Brues, 1923	pa gf		Brues 1923; van Achterberg 1995b	Termitidae	D D
<i>Ipsistocerus</i> Cushman, 1923	bo		Cushman 1923; van Achterberg 1995b	Termitidae	D D

Agradecimientos / Acknowledgments

Deseo agradecer al Proyecto Diversidad de Insectos en áreas protegidas, desarrollado en conjunto por el Instituto Alexander von Humboldt (IavH), Unidad Administrativa Especial del Sistema de Parques Nacionales Naturales de Colombia (UAESPNN), Universidad de Kentucky (UK), Museo de Historia Natural del condado de los Angeles (LACM) y patrocinado por la National Science Foundation (NSF) DEB 9972024; también agradezco a la Sociedad Colombiana de Entomología (SOCOLEN) por el apoyo a través de la beca Incentivos que promueve la investigación entomológica en universidades colombianas; agradezco a todas las personas de las colecciones visitadas que permitieron la revisión del material; finalmente agradezco al Dr. Michael Sharkey, Fernando Fernández y Eduardo Flórez por su apoyo incondicional, a los evaluadores del manuscrito y a Diana Carvajal y Claudia Reina por su valiosa ayuda.

I wish to thank the Project Diversity of Insects in Protected Areas, managed through Alexander von Humboldt Institute, (IavH) Special Administrative Unit of National Natural Parks System of Colombia (UAESPNN, Kentucky University (UK), Los Angeles county Museum (LACM and sponsored by the National Science Foundation (NSF) DEB 9972024; I also wish to thank the Entomological Society of Colombia (SOCOLEN) for their support through the scholarship Incentivos that promotes the entomological research in Colombian universities; I thank all the people from the visited collections for allowing the revision of material; and finally I express my gratitude to Dr. Michael Sharkey, Fernando Fernández and Eduardo Flórez for their unconditional support, to evaluators of manuscrit and to Diana Carvajal and Claudia Reina for their valuable help.

Literatura Citada / Literature Cited

- Achterberg C. van (1976a) Revisionary notes on the genus *Coloneura* Foerster with description of a new subgenus *Coloneurella*, from the Netherlands (Hym., Braconidae, Alysiinae). *Entomologische Berichten* 36:186-192
- Achterberg C. van (1976b) A revision of the tribe Blacini (Hymenoptera, Braconidae, Helconinae) *Tijdschrift voor Entomologie* 118:159-322
- Achterberg C. van (1979) A revision of the subfamily Zelinae auct. (Hymenoptera, Braconidae) *Tijdschrift voor Entomologie* 122:241-479
- Achterberg C. van (1983a) Revisionary notes on the genera *Dapsilarthra* auct. and *Mesocrina* Foerster (Hymenoptera, Braconidae, Alysiinae) *Tijdschrift voor Entomologie* 126:1-24
- Achterberg C. van (1983b) Revisionary notes on the Palaearctic genera and species of the tribe Exothecini Foerster (Hymenoptera, Braconidae). *Zoologische Mededelingen Leiden* 57:339-355
- Achterberg C. van (1983c) Revisionary notes on the subfamily Gnamptodontinae, with description of eleven new species (Hymenoptera, Braconidae) *Tijdschrift voor Entomologie* 126:25-57
- Achterberg C. van (1984a) Essay on the phylogeny of Braconidae (Hymenoptera) *Entomologisk Tidskrift* 105:41-58
- Achterberg C. van (1984b) Addition to the revision of the genus *Zele* (Hymenoptera: Braconidae) *Entomologische Berichten* 44:110-112
- Achterberg C. van (1985) The genera and subgenera of Centistini, with descripton of two new taxa from the Nearctic region (Hymenoptera: Braconidae: Euphorinae) *Zoologische Mededelingen Leiden* 59:348-362
- Achterberg C. van (1986) The Holarctic genus *Anisocyrta* Foerster (Hymenoptera: Braconidae: Alysiinae) *Zoologische Mededelingen* 60:285-297
- Achterberg C. van (1987a) Revision of the European Helconini (Hymenoptera: Braconidae: Helconinae) *Zoologische Mededelingen Leiden* 61:263-285
- Achterberg C. van (1987b) Revisionary notes on the subfamily Orgilinae (Hymenoptera: Braconidae) *Zoologische Verhandelingen Leiden* 242:1-111
- Achterberg C. van (1988a) The genera of the *Aspilota*-group and some descriptions of fungicolous Alysiini from the Netherlands (Hymenoptera: Braconidae: Alysiinae) *Zoologische Verhandelingen* 247:1-88
- Achterberg C. van (1988b) Revision of the subfamily Blacinae Foerster (Hymenoptera: Braconidae) *Zoologische Verhandelingen*
- Achterberg C. van (1989) *Pheloura* gen. nov., a neotropical genus with a an extremely long pseudo-ovipositor (Hymenoptera: Braconidae) *Ent. Ber. Amst.* V49 n.8 pp 105-108
- Achterberg C. van (1990) Revision of the subtribe Mesocoelina Viereck (Hymenoptera: Braconidae) *Zoologische Mededelingen Leiden* 64:31-57
- Achterberg C. van (1991) Revision of the genera of the Afrotropical and W. Palaearctical Rogadinae Foerster (Hymenoptera: Braconidae). *Zoologische Verhandelingen Leiden* 273:1-102
- Achterberg C. van (1992a) *Centistoides* gen. nov. (Hymenoptera: Braconidae: Euphorinae) from Suriname *Zoologische Mededelingen Leiden* 66:345-348

- Achterberg C. van (1992b) Revision of the genera of the subfamily Microtypinae (Hymenoptera: Braconidae) *Zoologische Mededelingen Leiden* 66:369-380
- Achterberg C. van (1992c) *Bentonia* gen. nov. (Hymenoptera: Braconidae: Orgilinae) from Brazil *Zoologische Mededelingen* 66: 339-344
- Achterberg C. van (1992d) Revision of the genera of the subfamily Sigalphinae (Hymenoptera: Braconidae), including a revision of the Australian species
- Achterberg C. van (1993) Illustrated key to the subfamilies of the Braconidae *Zoologische Verhandelingen* 283
- Achterberg C. van (1994a) Generic revision of the subfamily Cenocoeliinae Szépligeti (Hymenoptera: Braconidae) *Zoologische Verhandelingen Leiden* 292:1-52
- Achterberg C. van (1994b) Two new genera of the tribe Orgilini Ashmead (Hymenoptera: Braconidae: Orgilinae) *Zoologische Mededelingen Leiden* 68:173-190
- Achterberg C. van (1995a) *Glyptoblacus* gen. nov. (Hymenoptera: Braconidae: Blacinae) from Honduras *Zool. Med. Leiden* 69 (23):303-306
- Achterberg C. van (1995b) Generic revision of the subfamily Betylobraconinae (Hymenoptera: Braconidae) and other groups with modified fore tarsus. *Zoologische Verhandelingen Leiden* 298:1-242
- Achterberg C. van, K. Maetô (1990) Two new and aberrant species of Braconidae (Hymenoptera) from Japan *Zoologische Mededelingen Leiden* 64:59-70
- Achterberg C. van, D.L. Quicke (1992) Phylogeny of the subfamilies of the family Braconidae: a reassessment assessed *Cladistics* 8:237-264
- Achterberg C. van, A.M. Penteado-Dias, D.L.J. Quicke (1997) *Pseudoyelicones* (Hymenoptera: Braconidae: Rogadinae) a new genus from Brazil and Costa Rica *Zool. Med. Leiden* 71 (1):1-8
- Austin A.D. (1987) A review of the Braconidae (Hymenoptera) that parasitize Limacodidae in Southeast Asia, particularly those associated with coconut and oil palm pp. 139-184 In: Cock M.J., Godfray H.J., Holloway J.D. (eds) *Slug and Nettle Caterpillars* CAB International, London
- Austin A.D., P. Dangerfield (1992) Synopsis of *Australasina* *Microgastrinae* (Hymenoptera: Braconidae), with a key to genera and description of new taxa *Invertebrate Taxonomy* 6:1-76
- Austin A.D., P.C. Dangerfield (1993) Systematics of Australian and New Guinean *Micropilis* Foerster and *Snellenius* Westwood (Hymenoptera: Braconidae: Microgastrinae), with a review of their biology and host relationships *Invertebrate Taxonomy* 7:1097-1166
- Belokobyl'skij S.A. (1986) A review of the Palaearctic species of the genera *Pambolus* Hal. and *Dimeris* Ruthe (Hymenoptera, Braconidae) *Proceedings of the Zoological Institute Leningrad*, 159:18-37 (In Russian)
- Belokobyl'skij S.A. (1987a) Structure of the male genitalia in the braconid subfam. Doryctinae (Hymenoptera, Braconidae)- its evolution and significance in classification of the group *Morphological Foundations for Insect Phylogeny* 69:209-219 (In Russian)
- Belokobyl'skij S.A. (1987b) On the status of the genus *Dolopsidea* Hincks (Hymenoptera, Braconidae, Doryctinae). pp. 73-78. In: Storozheva and Kusakin (eds.) *New Data on Insect Systematics from the Soviet Far East USSR Academy of Sciences*, Vladivostok. (In Russian)
- Belokobyl'skij S.A. (1993a) On the classification and phylogeny of the braconid wasp subfamilies Doryctinae and Exothecinae (Hymenoptera: Braconidae). Part I. On the classification, 2. *Entomologicheskoe Obozrenie* 72:143-164 (In Russian)
- Belokobyl'skij S.A. (1993b) On the classification and phylogeny of the braconid wasp subfamilies Doryctinae and Exothecinae (Hymenoptera: Braconidae). Part II. On the phylogeny. *Entomologicheskoe Obozrenie* 72:891-914 (In Russian)
- Belokobyl'skij S.A., V.I. Tobias (1986) Subfamily Doryctinae. pp. 21-72. In: Tobias V. I. (ed.) *Identification of Insects of European U.S.S.R.* Vol. III, part V. (Hymenoptera: Braconidae) Akademia Nauk, Leningrad. (In Russian)
- Belokobyl'skij S.A. (1995) Main evolutionary transformations of the morphological structures in the subfamilies Doryctinae and Exothecinae (Hymenoptera: Braconidae). Part I. On the classification, 1. *Entomologicheskoe Obozrenie* 71:900-928
- Belshaw R., M. Fitton, E. Herniou, C. Gimeno, D. Quicke (1998) A phylogenetic reconstruction of the Ichneumonioidea (Hymenoptera) based on the D2 variable region of 28S ribosomal RNA *Systematic Entomology* (1998) 23:109-123
- Berta de Fernández D.C. (1998) Contribución al conocimiento del género *Cremnops* Foerster, 1862 (Braconidae, Agathidinae) en la región Neotropical
- Briceño C.J., C. Ruiz (1991) Géneros de Braconidae en la zona de amortiguamiento de la reserva de la Biosfera "El Cielo", Tamaulipas, México. *Biotam* 4 (1):1-13

- Briceño R.A. (1999) Registro preliminar y clave de identificación de los géneros de la subfamilia Agathidinae (Hymenoptera: Braconidae) de Venezuela *Bol. De Ent. Ven.* 14(1):15-25
- Brues C.T. (1923) *Termitobracon*, a termitophilous braconid from British Guiana *Zoologica* 3:427-432
- Calderón M.S., C. Ruiz (1990) Géneros de Ichneumonidae y Braconidae (Hymenoptera) en localidades del sur de Tamaulipas *Biotam* 2(2):38-96
- Clark J.A. (1965) Six new species of the S. American genus *Leurinion* Muesebeck (Hym., Braconidae, Hormiini). Annals and Magazine of Natural History 13: 645-660
- Cushman R.A. (1923) A new subfamily of Braconidae (Hym.) from termite nests *Proceedings of the Entomological Society of Washington* 25:54-55
- Dangerfield P., A. Austin, J. Whitfield (1999) Systematics of the world of Cardiochilinae (Hymenoptera: Braconidae) *Invertebrate Taxonomy* 13:917-976
- Dangerfield P.C., J. Whitfield, M. Sharkey, J. Janzen, I.Mercado (1996) *Hansonia*, a new genus of cardiochiline Braconidae (Hymenoptera) from Costa Rica, with notes on its biology *Proceedings of the Entomological Society of Washington* 98:592-596
- De Santis L. (1967) *Catalogo de los Himenópteros argentinos de la Serie Parasítica, incluyendo Bethyloidea* Provincia de Buenos Aires Gobernación, Comisión de Investigación Científica, La Plata. 337 pp.
- De Santis L. (1980) *Catálogo de los himenópteros brasileños de la serie parasítica incluyendo Bethyloidea* Edit. Da Universidade Federal do Paraná
- Delfín H., R.A. Wharton (1996) *Listado preliminar de los géneros de Braconidae (Hymenoptera: Ichneumonoidea)* de Yucatán, México Mem XXXI Congr. Natl. Entomol. Mérida, Yucatán. pp 170-171
- Delfín H., B. León (1997) Géneros de Braconidae (Hymenoptera) en Yucatán. Algunos elementos para el planteamiento de Patrones de Riqueza *Acta Zool. Mex.* (n.s.) 70:65-77
- Dowton M., A. Austin (1994) Molecular phylogeny of the insect order Hymenoptera: Apocritan relationships *Proc. Natl. Acad. Sci.* 91 9911-9915
- Fahringer J. (1930) Ueber einige suedamerikanischer Braconiden gattungen Wiener *Entomologische Zeitung* 47:19-31
- Fischer M. (1966) *Aspilodemon*, ein neues Opiinae Genus and Brasilien (Hymenoptera, Braconidae) *Entomophaga* 11:161-176
- Fischer M. (1968a) Ueber gezuechtete Raupenwespen (Hymenoptera, Braconidae) *Pflanz Engschutz-Berichte* 37:97-140
- Fischer M. (1968b) Kephalosema, ein neues Hormiinen-Genus aus Chile (Hymenoptera, Braconidae) *Polskie Pismo Entomologiczne* 38:791-805
- Fischer M. (1971) *Hym. Braconidae World Opiinae Index* of Entomophagous Insects. Le Francois, Paris. 189
- Fischer M. (1972) Hymenoptera Braconidae (Opiinae I) *Das Tierreich* 91:1-621
- Fischer M. (1974) *Aspilota*-Arten, gezogen aus Phoriden (Hymenoptera, Braconidae, Alysiinae) *Boletino del Laboratorio di Entomologia Agraria "Filipo Silvestri" di Portici* 31:253-267
- Fischer M. (1975) Taxonomische Untersuchungen an Neotropischen Alysiini, besonders solchen aus dem British Museum (Natural History) in London (Hym., Braconidae: Alysiinae) *Studia Entomologica* 18:127-152
- Fischer M. (1977) Hymenoptera Braconidae (Opiinae II-Amerika) *Das Tierreich* 96:1-1001
- Fischer M. (1981a) Versuch einer systematischen Gliederung der Doryctinae, insbesondere der Doryctini, und Redeskription nach Material aus den Naturwissenschaftlichen Museum in Budapest (Hymenoptera: Braconidae). *Polkie Pismo Entomologiczne* 51: 41-99.
- Fischer M. (1981b) Mononeuron, ein neues Doryctinen-genus aus Brasilien (Hymenoptera, Braconidae). *Zeitschrift der Arbeitsgenmeinschaft osterreich Entomologen* 33: 47-51
- Fischer M. (1987) Hymenoptera Braconidae Opiinae III-athiopische, orientalische, australische und ozeanische Region *Das Tierreich* 104:1-734
- Gardenfors U. (1986) Taxonomic and biological revision of Palearctic *Ephedrus* Haliday (Hymenoptera: Braconidae, Aphidiinae) *Entomologica Scandinavica Supplement* 27:1-95
- Gauld I., B. Bolton (1988) *The Hymenoptera* British Museum (Natural History) Oxford University Press, Oxford.
- Gibson L.P. (1972a) Revision of the genus *Urosigalpus* of the United States and Canada (Hymenoptera: Braconidae) *Miscellaneous Publications of the Entomological Society of America* 8:83-134
- Gibson L.P. (1972b) *Urosigalpus* of Mexico and Central America (Hymenoptera: Braconidae) *Miscellaneous Publications of the Entomological Society of America* 8:135-157
- Gibson L.P. (1974) South American *Urosigalpus* (Hymenoptera: Braconidae) *Miscellaneous Publications of the Entomological Society of America* 9:201-226
- Godfray H.C (1994) Parasitoids behavioral and evolutionary ecology Princeton University Press
- Griffiths G.C.D. (1964) The Alysiinae (Hym. Braconidae) parasites of the Agromyzidae (Diptera). I. General questions of taxonomy, biology and evolution *Beiträge zur Entomologie* 14:823-914

- Griffiths G.C.D. (1966a) The Alysiinae (Hym. Braconidae) parasites of the Agromyzidae (Diptera). II. The parasites of *Agromyza* Fallen *Beitrag zur Entomologie* 15:551-605
- Griffiths G.C.D. (1966b) The Alysiinae (Hym. Braconidae) parasites of the Agromyzidae (Diptera). III. The parasites of *Paraphytomyza* Enderlein, *Phytagromyza* Hendel and *Phytomyza* Fallen *Beitrag zur Entomologie* 16:775-951
- Griffiths G.C.D. (1968a) The Alysiinae (Hym. Braconidae) parasites of the Agromyzidae (Diptera). V. The parasites of *Liriomyza* Mik and certain small genera of Phytomyzinae *Beitrag zur Entomologie* 18:5-62
- Griffiths G.C.D. (1968b) The Alysiinae (Hym. Braconidae) parasites of the Agromyzidae (Diptera). VI. The parasites of *Cerodontha* Rondani s.l *Beitrag zur Entomologie* 18:63-152
- Haeselbarth E., C. Loan (1983) *Townesilitus*, a new genus for a species group in *Microctonus* (Hymenoptera: Braconidae) *Contributions of the American Entomological Institute* 20:384-387
- Hanson P., I. Gauld (1995) *The Hymenoptera of Costa Rica* Oxford University Press, Nat. Hist. Mus. London
- Hedqvist K.-J. (1963) Notes on Hormiinae with description of new genera and species (Hym., Ichneumonoidea, Braconidae) *Entomologisk Tidskrift* 84:30-61
- Hernández R.J., E. Ruiz C., S.E. Varela R. (1987), Géneros de Ichneumonidae, Braconidae y Vespidae (Hymenoptera) del cañón de la libertad, Victoria Tamaulipas. Mem. XXII Congr. Nal Ent. Cd. Juarez Chih. Mexico pp. 194-195
- Huddleston T. (1980) A revision of the western Palearctic species of the genus *Meteorus* (Hymenoptera: Braconidae) *Bulletin of the British Museum of Natural History (Entomology)* 41:1-58
- Huddleston T. (1983) *Meteorus* (Hymenoptera: Braconidae) of Australia and New Guinea *Systematic Entomology* 8:393-420
- International Commission on Zoological Nomenclature (ICZN) (1994) Opinion 1758, *Vipio Latriellae*, 1804 (Insecta, Hymenoptera): *Agathis longicauda* Hoheman, 1853 designated as the type species *Bulletin of Zoological Nomenclature* 51:76-78
- Infante F., P. Hanson, R. Wharton (1995) Phytophagy in the genus *Monitoriella* (Hymenoptera: Braconidae) with description of new species *Annals of the Entomological Society of America* 88:406-415
- Johnson J. (1987) A Revision of the species of *Praon* Haliday in North America and Mexico (Hymenoptera: Aphidiidae) *Annals of the Entomological Society of America* 82:314-324
- Kato M. (1994) Structure, organization, and response of a species rich Parasitoid community to host leafminer population dynamics *Oecologia* 97:17-25
- Labougle J.M. (1980) Análisis sobre la sistemática de la familia Braconidae y su situación actual en México. Tesis de licenciatura UNAM.
- La Salle J., I. Gauld (1991) Hymenoptera and Biodiversity crisis *Redia* 74, 315
- La Salle J., I. Gauld (1993) Hymenoptera: Their Bieversity, and Their impact on the diversity of other organisms in La Salle J., I.Gauld (Eds), *Hymenoptera and Biodiversity* C.A.B. International, UK.
- Loan C.C. (1967) Studies on the taxonomy and biology of the Euphorinae (Hymenoptera: Braconidae) III. A new Canadian genus and species parasitic on Tingidae (Heteroptera) *Annals of the Entomological Society of America* 60:240-244
- Loan C.C. (1969) A summary of the species of *Microctonus* north of Mexico with five new species *Proceedings of the Entomological Society of Washington* 71:404-416
- Loan C.C., T. New (1971) An account of the North American species of *Euphoriella* Ashmead with descriptions of seven new species (Hymenoptera: Braconidae, Euphorinae) *Proceedings of the Entomological Society of Ontario* 102:92-108
- Loan C.C. (1974) The North American species of *Leiophron* Nees and *Peristenu* Foerster (Hymenoptera: Braconidae: Euphorinae) *Transactions of the Royal Entomological Society of London* 126:207-238
- Lomelí F.J.R., R. Peña (1995) El género *Aphidius* (Hymenoptera: Aphidiidae) Mem XXX Congr. Nal. Entom. Chapingo, Mexico pp 113
- López M.V., (1997) Bracónidos asociados a cultivos en Chapingo, México. Tesis de licenciatura UACH. 75p.
- Mackauer M. (1968) Pars 3 Aphiididae. pp 1-103 En: Ferrière Ch, Vecht J van der (eds.) *Hymenopterum catalogus*
- Mackauer M., P. Starý (1967) Hymenoptera Ichneumonoidea. World Aphidiidae *Index of Entomophagous Insects* Le Francois, Paris. 195pp.
- Mao Y.T. (1945) Synopsis of the Mexican species of *Cardiochiles* Nees (Hymenoptera: Braconidae) *Pan-Pacific Entomol.* 21:125-134
- Mao Y.T. (1949) The species of ichneumon-flies of the genus *Cardiochiles* occurring in America north of Mexico *Proceedings of the United States National Museum* 99:229-266
- Marsh P.M. (1961) A taxonomic study of the genus *Cremnops* in America north of Mexico (Hymenoptera, Braconidae) *Annals of the Entomological Society of America* 54:851-861
- Marsh P.M. (1965) The Nearctic Doryctinae, I. A review of the subfamily with taxonomic revision of the tribe Hecabolini (Hymenoptera: Braconidae) *Annals of the Entomological Society of America* 58:668-699

- Marsh P.M. (1966) The Nearctic Doryctinae, III. The genus *Callihormius* Ashmed (Hymenoptera: Braconidae) *Proceedings of the Entomological Society of Washington* 68:240-246
- Marsh P.M. (1967) The Nearctic Doryctinae, IV. Notes on the genus *Dendrosoter* Wesmael and description of one new species (Hymenoptera: Braconidae) *Proceedings of the Entomological Society of Washington* 69:246-247
- Marsh P.M. (1968) The Nearctic Doryctinae, VI. The genera *Acrophasmus*, *Glyptocolastes*, *Doryctinus*, and new genus *Stenocorse* (Hymenoptera: Braconidae) *Proceedings of the Entomological Society of Washington* 70:101-113
- Marsh P.M. (1969) The Nearctic Doryctinae, VII. The genus *Doryctes* Haliday (Hymenoptera: Braconidae) *Transactions of the American Entomological Society* 94:379-405
- Marsh P.M. (1976) The Nearctic Doryctinae, X. The genus *Rhaconotus* Ruthe (Hymenoptera: Braconidae) *Proceedings of the Entomological Society Washington* 78:389-403
- Marsh P.M. (1979a) Family Aphidiidae. pp. 295-313. In: Krombein K.V., Hurd P.D., Smith D.R., Burks B.D (eds) *Catalog of hymenoptera in America North of Mexico* Smithsonian Institution Press, Washington D.C
- Marsh P.M. (1979b) Family Braconidae. pp. 144-295. In: Krombein K.V., Hurd P.D., Smith D.R., Burks B.D (eds) *Catalog of hymenoptera in America North of Mexico*. Smithsonian Institution Press, Washington D.C
- Marsh P.M. (1982a) Descriptions of two new species of *Heterospilus* (Hymenoptera: Braconidae) *Boletín de Entomología Venezolana* 2:57-60
- Marsh P.M. (1982b) Two new species of *Heterospilus* (Hymenoptera: Braconidae). from Mexico being introduced against the cotton ball weevil, *Anthonomus grandis* (Coleoptera: Curculionidae) *Proceedings of the Entomological Society of Washington* 84:849-854
- Marsh P.M. (1983a) A taxonomic study of the South American genus *Megaloprotus* Schulz (Hymenoptera: Braconidae: Doryctinae) *Contributions of the American Entomological Institute* 20: 363-380.
- Marsh P.M. (1983b) *Bohartiellus*, a new genus of Doryctinae from South America (Hymenoptera: Braconidae) *Pan-Pacific Entomologist* 59:138-151
- Marsh P.M. (1988) Revision of the tribe Odontobraconini in the Western Hemisphere (Hymenoptera: Braconidae: Doryctinae) *Systematic Entomology* 13:443-464
- Marsh P.M. (1989) Notes on Braconidae (Hymenoptera) associated with jojoba (*Simmondsia chinensis*) and descriptions of new species *Pan-Pacific Entomologist* 65:58-67
- Marsh P.M. (1993) Description of new Western Hemisphere genera of the subfamily Doryctinae (Hymenoptera: Braconidae) *Contributions of the American Entomological Institute* 28(1):1-58
- Marsh P.M. (1997) Replacement names for Western Hemisphere genera of Doryctinae (Hymenoptera: Braconidae) *Proceedings of the Entomological Society of Washington* 99:586
- Marsh P., R. Shaw, R. Wharton (1987) An identification manual for the North American genera of the family Braconidae (Hymenoptera) *Memoirs of the Entomological Society of Washington* 13:1-98
- Martin J.C. (1956) A taxonomic revision of the Triaspidini braconid wasps of Nearctic America (Hymenoptera) *Canadian Department of Agriculture Publication* 965:1-157
- Mason W.R.M. (1964) The genus *Chrysopophthorus* Goidanich (Hymenoptera: Braconidae) *The Canadian Entomologist* 96:1005-1017
- Mason W.R.M. (1968) New Canadian Braconidae (Hymenoptera) *The Canadian Entomologist* 100:715-728
- Mason W.R.M. (1969) Muesebeckiini, a new tribe of Braconidae (Hymenoptera) *Proceedings of the Entomological Society of Washington* 71:263-278
- Mason W.R.M. (1973) Recognition of *Zemiothes* (Hymenoptera: Braconidae) *Proceedings of the Entomological Society of Washington* 75:213-215
- Mason W.R.M. (1974) A generic synopsis of Brachistini (Hymenoptera: Braconidae) and recognition of the name *Charmon* Haliday *Proceedings of the Entomological Society of Washington* 76: 235-246
- Mason W.R.M. (1977) The identity of *Macrocentrus uniformis* Provancher (nec Cresson), description of a sibling species and a possible grooming organ (Hym.: Braconidae) *Naturaliste Canadienne* 103:513-515
- Mason W.R.M. (1978) A synopsis of the Nearctic Braconini, with revisions of Nearctic species of *Coeloides* and *Myosoma* (Hymenoptera: Braconidae) *The Canadian Entomologist* 110:721-768
- Mason W.R.M. (1979) A generic synopsis of Brachistini (Hymenoptera: Braconidae) and recognition of the name *Charmon* Haliday *Proceedings of the Entomological Society of Washington* 76:235-246
- Mason W.R.M. (1981) The polyphyletic nature of *Apanteles* Foerster (Hymenoptera: Braconidae): a phylogeny and reclassification of Microgastrinae) *Memoirs of the Entomological Society of Canada* 115:1-147

- Mason W.R.M. (1987) *Vadum*, a new genus of Nearctic Braconidae (Hymenoptera) *Proceedings of the Entomological Society of Washington* 89:325-328
- Mason W.R.M. (1991) A new genus of exodont Ichneutinae (Hymenoptera: Braconidae) *Insecta Mundi* 5:95-99
- Matthews R.W. (1970) A revision of the genus *Spathius* in America north of Mexico (Hymenoptera, Braconidae) *Contributions of the American Entomological Institute* 4(5):1-86
- Matthews R.W. (1974) Biology of Braconidae *Annual Review of Entomology* 19:15-32
- Matthews R.W., P. Marsh (1973) *Notiospathius*, a new Neotropical genus (Hymenoptera:Braconidae) *Journal of the Washington Academy of Sciences* 63:73-75
- McComb C.W. (1968) A revision of the *Chelonus* subgenus *Microchelonus* in North America north of Mexico (Hymenoptera: Braconidae) *University of Maryland Agricultural Experiment Station Bulletin A*-149:1-148
- Muesebeck C.F.W. (1920) A revision of the North American species of the ichneumon-flies belonging to the genus *Apanteles*. *Proceedings of the United States National Museum* 58:483-576
- Muesebeck C.F.W. (1922) A revision of the North American ichneumon-flies belonging to the subfamilies Neoneurinae and Microgasterinae *Proceedings of the United States National Museum* 61:1-76
- Muesebeck C.F.W. (1925) A revision of the parasitic wasps of the genus *Microbracon* occurring in America north of Mexico *Proceedings of the United States National Museum* 67:1-85
- Muesebeck C.F.W. (1932) Revision of the Nearctic ichneumon-flies belonging to the genus *Macrocentrus* *Proceedings of the United States National Museum* 80(2923):1-55
- Muesebeck C.F.W. (1958) New neotropical wasps of the family Braconidae (Hymenoptera) in the U.S. National Museum *Proceedings of the United States National Museum* 107:405-461
- Nixon G.E.J. (1965) A reclassification of the tribe Microgasterini (Hymenoptera: Braconidae) *Bulletin of the British Museum (Natural History) Entomology Supplement* 2:1-284
- Nixon G.E.J. (1968) A revision of the genus *Microgaster* Latreille (Hymenoptera: Braconidae) *Bulletin of the British Museum (Natural History) Entomology* 22:33-72
- Papp J. (1965) A monograph of the genus *Aridelus* Marsh (Hymenoptera: Braconidae) *Acta Zoologica Hungaricae* 11:181-201
- Papp J. (1969) A synopsis of the *Phaenocarpa* Foerster species of the Neotropical Region (Hym., Braconidae, Alysiinae) *Acta Zoologica Academiae Scientiarum Hungaricae* 15:379-389
- Papp J. (1980) On the genus *Fornicia* Brulle with two new Oriental species (Hymenoptera, Braconidae, Microgasterinae) *Folia Entomologica Hungarica* 33:305-311
- Papp J. (1984) Palearctic species of *Microgaster* Latreille (= *Microplitis* Foerster) with description of seven new species (Hymenoptera: Braconidae: Microgastrinae) *Entomologische Abhandlungen und Berichten des Staatlichen Museums Tierkunde Dresden* 47:95-140
- Papp J. (1986a) First survey of the *Glabromicroplitis* Papp species of the Holarctic Region, with taxonomical remarks of three *Microgaster* Latreille species (Hymenoptera, Braconidae, Microgastrinae) *Annales historico-naturales Musei Nationalis Hungarici* 78:249-253
- Papp J. (1986b) A survey of the European species of *Apanteles* Foerst (Hymenoptera, Braconidae, Microgastrinae), IX. The *glomeratus*- group 1 *Annales historico-naturales Musei Nationalis Hungarici* 78:225-247
- Papp J. (1987) A survey of the European species of *Apanteles* Foerst. (Hymenoptera, Braconidae, Microgastrinae), VII. The *glomeratus*- group 2 and the *cultellatus*-group *Annales historico-naturales Musei Nationalis Hungarici* 79:207-258
- Papp J. (1995) New diospiline taxa from the Neotropical region (Hymenoptera, Braconidae, Helconinae) *Acta Zoologica Academiae Scientiarum Hungaricae* 41:103-114
- Pemberton C.E., H.F. Willard (1918a) Interrelations of fruit-fly parasites in Hawaii *Journal of Agricultural Research* 12:285-303
- Pemberton C.E., H.F. Willard (1918b) A contribution to the biology of fruit-fly parasites in Hawaii *Journal of Agricultural Research* 15:419-466
- Penteado-Diaz A.M. (1997) First host record for the genus *Larissimus* (Hymenoptera: Braconidae) *Entomological News* 108:66
- Peña Ch.G., C Ruiz (1993) Distribución de géneros de Braconidae (Hymenoptera) en diversos municipios del estado de Morelos. Mem. XXVII Congr. Nal. Entomol. Universidad de las Americas. Cholula, Puebla.
- Peña Ch.G., C. Ruiz, S Burgos (1992) Braconidae del municipio de Chietla, puebla. Mem. 1er. Encuentro de Investigadores sobre Entomología en Puebla.Ben. UAP. pp.9

- Pungerl N. (1983) Variability in characters commonly used to distinguish *Aphidius* species (Hymenoptera: Aphidiidae) *Systematic Entomology* 8:425-430
- Pungerl N. (1986) Morphometric and electrophoretic study of *Aphidius* species (Hymenoptera: Aphidiidae) reared from a variety of aphid hosts *Systematic Entomology* 11:327-354
- Quicke D.L.J. (1988a) Reclassification of some Neotropical Braconinae (Hym., Braconidae) *Entomologist's Monthly Magazine* 124:195-199
- Quicke D.L. (1988b) A new genus and species of Braconinae (Hymenoptera: Braconidae) parasitic on *Diatraea* sp. (Lepidoptera: Pyralidae) from Ecuador *Bull. Ent. Res.* 78:15-18
- Quicke D.L.J. (1988c) *Digonogastra*: the correct name for Nearctic *Iphiaulax* of Authors (Hymenoptera, Braconidae) *Proceedings of the Entomological Society of Washington* 90:196-200
- Quicke D.L.J. (1989a) Reclassification of some New World species of Braconinae (Hym., Braconidae) *Entomologist's Monthly Magazine* 125:119-121
- Quicke D.L. (1989b) A new Neotropical genus and species of Coelogini (Hymenoptera: Braconidae: Braconinae) *Entomologist's Monthly Magazine* 125 pp 9-12
- Quicke D.L.J. (1989c) Further new host records for genera and species of Braconinae (Hym., Braconidae) *Entomologist's Monthly Magazine* 125:199-205
- Quicke D.L.J. (1994) *Myosomatooides* gen. nov. (Hymenoptera: Braconidae), a Neotropical larval parasitoid of stem-boring pests, *Diatraea* *Journal of Hymenoptera Research* 3:227-231
- Quicke D.L.J. (1995) Two new Neotropical genera of Braconinae (Hymenoptera, Braconidae) *Entomologist's Monthly Magazine* 131:223-228
- Quicke D.L. (1997) *Parasitic wasp* Chapman & Hall (eds) London
- Quicke D.L.J., A. Delobel (1995) A new Neotropical braconine (Hym., Braconidae) parasitic on Bruchidae (Col.) *Entomologist's Monthly Magazine* 131:215-222
- Quicke D.L.J., T. Huddleston (1991) The extraordinary genus *Gnathobracon* Costa (Hym., Braconidae), with the description of a new species from Peru *Entomologist's Monthly Magazine* 127:191-195
- Quicke D.L.J., M. Sharkey (1989) A key to and notes on the genera of Braconinae (Hymenoptera: Braconidae) from America north of Mexico with descriptions of two new genera and three new species *The Canadian Entomologist* 121:337-361
- Quicke D.L., M.J.K. Chishti, H.H. Basibuyuk (1996) A revision of the Yelicones species (Hymenoptera:Braconidae:Rogadinae) from Central America, with descriptions of sixteen new species Quicke D.L., H.H. Basibuyuk, M.G. Fitton, Rasnitsyn (1999) Morphological, paleontological and molecular aspects of ichneumonoid phylogeny (Hymenoptera, Insecta) *Zoologica Scripta* 28 1-2
- Quicke D.L., C. van Achterberg (1990) Phylogeny of the subfamilies of the family Braconidae (Hymenoptera:Ichneumonoidea) *Zoologische Verhandelingen* 258
- Ramadan M.M., Wong T.T.Y., J.W. Beardsley (1989a) Survivorship, potential, and realized fecundity of *Biosteres tryoni* [Hymenoptera: Braconidae], a larval parasitoid of *Ceratitis capitata* [Diptera: Tephritidae] *Entomophaga* 34:291-297
- Ramadan M.M., T.T. Wong, J.W. Jr Beardsley (1989b) Insectary production of *Biosteres tryoni* Cameron (Hymenoptera: Braconidae), a larval parasitoid to *Ceratitis capitata* Wiedemann (Diptera: Tephritidae) *Proceedings of the Hawaiian Entomological Society* 29:41-48
- Ramírez B.W., P.M. Marsh (1996) A review of the genus *Psenobolus* (Hymenoptera: Braconidae) from Costa Rica, an inquiline fig wasp with brachypterous males, with descriptions of two new species *Journal of Hymenoptera Research* 5:64-72
- Rasnitsyn A.P. (1980) Origin and evolution of Hymenoptera *Transactions of the Paleontological Institute of the Academy of Science of the USSR* 174:1-92
- Rasnitsyn A.P. (1998) An outline of evolution of the hymenopterous insects *Oriental Insects* 22:115-145
- Read D., P. Fenny, R. Root (1970) Habitat selection by the aphid parasite *Diaeletiella rapae* (Hymenoptera: Braconidae) and hyperparasite *Charips brassicae* (Hymenoptera: Cynipidae) *The Canadian Entomologist* 102:1567-1578
- Ronquist F., A. Rasnitsyn, A. Roy, K. Eriksson, M. Lindgren (1999) Phylogeny of the Hymenoptera: A cladistic reanalysis of Rasnitsyn's (1988) data *Zoologica Scripta* 28(1): 13-50
- Redolfi I. (1994) Diversidad de Braconidae (Hymenoptera) en el Perú *Rev. Per. Ent.* 37:11-22
- Rohwer S.A. (1914) The Nearctic species of the hymenopterous genus *Sympya* Foerster *Entomological News* 25:158-172
- Ruiz C.E., (1993) *Microgastrinae* en localidades de centro y sur de Tamaulipas. Mem. XXVIII Congr. Nat. Entom. Universidad de las Americas Cholula, Puebla
- Saffer B. (1977) A new species of *Cenocoelius* from Costa Rica (Hymenoptera: Braconidae) *Proceedings of the Entomological Society of Washington* 79
- Saffer B. (1982) A systematic revision of the genus *Cenocoelius* (Hymenoptera, Braconidae) in North America, including Mexico. *Polskie Pismo Entomologiczne* 52:73-167

- Sánchez G.J., J. Romero, S. Ramírez, S. Anaya, J. Cantillo (1998) Géneros de Braconidae del estado de Guanajuato (Insecta:Hymenoptera) *Acta. Zool. Mex.* (n.s.) 74:59-137
- Sharkey M.J., (1983) *Marjoriella* a new tropical genus of Agathidinae (Braconidae: Hymenoptera) *Contrib. Am. Entomol. Inst.* 20 (1):94-100
- Sharkey M. J. (1985) Notes on the genera *Bassus* Fabricius and *Agathis* Latrielle with a description of *Bassus arthurellus* n. sp. (Hymenoptera: Braconidae) *The Canadian Entomologist* 117:1497-1502
- Sharkey M.J. (1986) *Pharpa*, a new genus of Neotropical Agathidinae (Hymenoptera: Braconidae) *Can. Entomol.* 118 (12):123-129
- Sharkey M.J. (1988) A taxonomic revision of *Alabagrus* (Hymenoptera: Braconidae) *Bull. Brit. Mus. (Nat. Hist. Entomol. Ser.)* 57 (2):437 pp.
- Sharkey M.J. (1990) A revision of *Zacremnops* Sharkey and Wharton 1985 (Hymenoptera: Braconidae: Agathidinae) *Proc. Entom. Soc. Wash.* 92:561-570
- Sharkey M.J. (1992) Cladistics and tribal classification of the Agathidinae (Hymenoptera: Braconidae) *Journal of Natural History* 26:425-447
- Sharkey M.J. (1993) Family Braconidae En: Goulet & Huber (eds) *Hymenoptera of the World: an identification guide to families* Research Branch Agriculture Canada
- Sharkey M.J. (2001) Phylogeny of the Hymenoptera: Reanalysing the reanalysis. (En Prensa)
- Sharkey M.J., D. Janzen (1995) Review of the world species of *Sigalphus* (Hymenoptera: Braconidae, Sigalphinae) and Biology of *Sigalphus romeroi*, new species *Journal of Hymenopterorum Catalogus (nova editio)* Dr. W. Junk, The Hague
- Sharkey M.J., D.B. Wahl (1992) Cladistics of the Ichneumonoidea (Hymenoptera) *Journal of Hymenoptera Research* 1:15-24
- Sharkey M.J., R.A. Wharton (1994) A revision of the genera of the world Ichneutinae (Hymenoptera: Braconidae) *Journal of Natural History* 28: 873-912
- Shaw M.R. (1987) *Orionis*, a new genus from Central America, with an analysis of its phylogenetic placement in the tribe Euphorini (Hymenoptera: Braconidae) *Systematic* 12:103-109
- Shaw M.R. (1997) The Costa Rican species of *Wesmaelia* with description of a new species (Hymenoptera: Braconidae: Ephorinae) *Annals of the Entomological Society of America* 90:542-546
- Shaw M.R., T. Huddleston (1991) Classification and biology of braconid wasps (Hymenoptera: Braconidae) *Handbooks for the Identification of British Insects* 7(11):1-126
- Shaw S. R. (1983) A Taxonomic study of Nearctic *Ascogaster* and a description of a new genus *Leptodrepana* (Hymenoptera: Braconidae) *Entomography* 2:1-54
- Shaw S.R. (1985) A phylogenetic study of the subfamilies Meteorinae and Euphorinae (Hymenoptera: Braconidae) *Entomography* 3:277-370
- Shaw S.R. (1995) Family Braconidae pp 431-463 In: Hanson P., I.D. Gauld (eds) *Hymenoptera of Costa Rica* Oxford University Press, Oxford.
- Shaw S.R. (1996) *Plynops*, a peculiar new genus and ten species in the tribe Euphorini (Hymenoptera: Braconidae) *Journal of Hymenoptera Research* 5:166-183
- Shaw S.R., J. Edgerly (1985) A new braconid genus (Hymenoptera) Parasitizing webspinners (Embiida) in Trinidad *Psyche* 92:505-511
- Shaw S.R., P.M. Marsh, J.C. Fortier (1997) Revision of North American *Aleiodes* Wesmael (part 1): the *pulchripes* Wesmael species-group in the New World (Hymenoptera: Braconidae, Rogadinae) *Journal of Hymenoptera Research* 6(1):10-35
- Shenefelt R.D. (1943) The genus *Atanycolus* Foerster in America north of Mexico *Research Studies of the State College of Washington* 11:51-163
- Shenefelt R.D. (1965) A contribution towards knowledge of the world literature regarding Braconidae *Deitiae zur Entomologie* 15:243-500
- Shenefelt R.D. (1969) Pars. 4 Braconidae I Hybrizoninae, Euphorinae, Cosphorinae, Neoneurinae, Macrocentrinae, pp 1-176 En: Ferrière Ch y Vecht J van der (eds.) *Hymenopterum Catalogus (nova editio)* Dr. W. Junk, The Hague.
- Shenefelt R.D. (1970a) Pars 5 Braconidae II Heliconinae, Calyptinae, Mimagathinae, Triaspinae, pp. 177-306 En: Ferrière Ch y Vecht J van der (eds.) *Hymenopterum Catalogus*
- Shenefelt R.D. (1970b) Pars 6 Braconidae III Agathidinae pp 307-428 En: Ferrière Ch y Vecht J van der (eds.) *Hymenopterum Catalogus*
- Shenefelt R.D. (1972) Pars 8 Braconidae IV Microgastrinae *Apanteles* pp 429-668 en: Vecht J van der y Shenefelt (Eds.) *Hymenopterum Catalogus*
- Shenefelt R.D. (1973a) Pars 9. Braconidae V Microgastrinae e Ichneutinae pp 669-812 En: Vecht J van der y Shenefelt (eds.) *Hymenopterum Catalogus*
- Shenefelt R.D. (1973b) Pars 10. Braconidae VI Cheloninae pp 813-936 En: Ferrière Ch y Vecht J van der y Shenefelt (eds.) *Hymenopterum Catalogus*
- Shenefelt R.D. (1974) Pars 11 Braconidae VII Alysiinae pp 937-1113 En: Vecht J van der y Shenefelt (eds.) *Hymenopterum Catalogus*
- Shenefelt R.D. (1975) Pars 12 Braconidae VIII Exothecinae, Rogadinae pp 1115-1262 En: Vecht J van der y Shenefelt (eds.) *Hymenopterum Catalogus*

- Shenefelt R.D. (1978) Pars 15 Braconidae X Braconinae, Gnamthobraconinae, Mesostoinae, Pseudodicrogeniinae, Telengainae, Ypsistocerinae, mas los grupos de Braconidae que no estan ubicados en ninguna subfamilia pp 1425-1872 En: Achterberg, C. van y Shenefelt (eds.) *Hymenopterum Catalogus*
- Shenefelt R.D. (1980) Pars 16 Braconidae 11 Introduction, Guide to host manex, Index to braconid names pp 1-384 En: Achterberg, C. van y Shenefelt (eds.) *Hymenopterum Catalogus*
- Shenefelt R.D., P. Marsh (1976) Pars. 13 Braconidae 9, Doryctinae pp 1263-1424 En: Vecht J van der y Shenefelt (eds.) *Hymenopterum Catalogus*
- Slotz D., J.B. Whitfield (1992) Viruses and virus-like entities in the parasitic Hymenoptera *Journal of Hymenoptera Research*
- Smith C. (1944) The Aphidiinae of North America (Hymenoptera: Braconidae) *Ohio State University, Contributions in Zoology and Entomology* 6:1-154
- Starý P. (1972) New aphid parasites (Hymenoptera: Aphiidae) from Cuba *Annales Zoologici*, Warszawa 29:317-322
- Starý P. (1975) *Pseudopraon mindariphagum* gen. n., sp. n. (Hymenoptera: Aphiidae) description and life history of a parasite of *Mindarus abietinus* (Homoptera, Mindaridae) in Central Europe *Acta Entomologica Bohemoslovaca* 72:249-259
- Starý P. (1976) Two new *Pseudoephedrus* Starý Aphid parasites (Hymenoptera: Aphiidae) associated with *Nothophagus* in South America, with notes on continental drift *Entomologica Scandinavica* 7:24-30
- Starý P. (1981) Biosystematical classification of *Trioxys* Hal. and related genera (Hymenoptera: Aphiidae) *Bollettino del Laboratorio di Entomología Agraria "Filippo Silvestri"* Portici 38:85-93
- Starý P. (1983) New species and host records of aphid parasitoid from México. *Acta Ent. Bohemoslov.* 80 pp35-48
- Starý P. (1987) Subject bibliography of aphid parasitoids (Hymenoptera: Aphiidae) of the world 1758-1982 *Monographs to Applied Entomology* 25:1-101
- Starý P. (1994) Aphid parasitoid fauna (Hymenoptera: Aphiidae) of the southern beech (*Nothofagus*) forest *Studies on Neotropical Fauna and Environment* 29:87-98
- Starý P. (1995) The Aphidiidae of Chile (Hymenoptera, Ichneumonoidea, Aphiidae) *Deutsche Entomologische Zeitschrift* 42:113138
- Starý P., G. Remaudiere (1982) New genera, species and host records of aphid parasitoids from México *Ann Soc. Ent. Franc. (n.s.)* 18(1):107-127
- Thompson F.R.M., C. Ruiz (1990) Ichneumonoidea y Vespoidea de la zona centro de Tamaulipas, Mexico *Acta Científica Potosina* 12(1):25-39
- Tobias V.I. (1965) Generic groupings and evolution of parasitic Hymenoptera of the subfamily Euphorinae (Hymenoptera: Braconidae) *Entomologicheskoe Obozrenie* 44:841-865
- Tobias V.I. (1983) Towards an understanding of the genus *Acrisis* Foerster 1862, of the tribe Acrisidini Hellen 1957 (Hymenoptera, Braconidae, Doryctinae). *Trudy Vsesoyuznogo Entomologicheskogo Obshchestva* 65:155-168 (In Russian)
- Tobias V.I. (1986) Subfamily Braconinae pp 94-149 In: Tobias V.I. (ed) *Identification of the Insects of European U.S.S.R. Volume III, Part V. Hymenoptera, Braconidae*. Akademia Nauk, Leningrad (In Russian)
- Tobias V.I. (1993). Towards an understanding of the genus *Acrisis* Foerster, 1862 of the tribe Acrisidini Hellen, 1957 (Hymenoptera, Braconidae, Doryctinae). *Trudy Vsesoyuznogo Entomologicheskogo Obshchestva* 65: 155-168 (In Russian)
- Wharton R.A. (1980) Review of New World Alysiini (Hymenoptera: Braconidae) with discussion of generic relationships within the tribe *University of California Publications in Entomology* 88:1-104
- Wharton R.A. (1983) New species of *Illidops* and *Bracon* (Hymenoptera: Braconidae) of potential use in biological control *The Canadian Entomologist* 115:667-672
- Wharton R.A. (1984a) Biology of the Alysiini (Hymenoptera: Braconidae), parasitoids of cyclorrhaphous Diptera *Texas Agricultural Experiment Station Technical Monograph* 11:1-39
- Wharton R.A. (1984b) The status of certain Braconidae (Hymenoptera) cultured for biological control programs, and description of a new species of *Macrocentrus* *Proceedings of the Entomological Society of Washington* 86:902-912
- Wharton R.A. (1985) Characterization of the genus *Aspilota* (Hymenoptera: Braconidae) *Systematic Entomology* 10:227-237
- Wharton R.A. (1987) Changes in nomenclature and classification of some opine Braconidae (Hymenoptera) *Proceedings of the Entomological Society of Washington* 89:61-73
- Wharton R.A. (1988a) Classification of the braconid subfamily Opiinae (Hymenoptera) *Canadian Entomologist* 120:333-360
- Wharton R.A. (1988b) The braconid genus *Alysia* (Hymenoptera): a revision of the subgenus *Anarcha*. *Contributions of the American Entomological Institute* 24:1-69

- Wharton R.A., S.R. Shaw, M.J. Sharkey, D. Wahl, J. Woolley, J. Whitfield, P. Marsh, J.W. Johnson (1992) Phylogeny of the subfamilies of the family Braconidae (Hymenoptera: Braconidae) a reassessment *Cladistics* 8:199-235
- Wharton R.A. (1993a) Bionomics of Braconidae *Ann. Rev. Ent.* 38:121-143
- Wharton R.A. (1993b) Review of the Hormini (Hymenoptera: Braconidae) with a description of new taxa *Journal of Natural History* 27:107-171
- Wharton R.A. (1994) New genera, species, and records of New World Alysiinae (Hymenoptera: Braconidae) *Proceedings of the Entomological Society of Washington* 96:630-664
- Wharton R.A. (2000) Can Braconid Classification be restructured to facilitate portrayal of relationships? pp. 143-153 In: Austin & Dawton (eds) *Hymenoptera Evolution, Biodiversity and Biological Control* CSIRO Publishing Australia.
- Wharton R.A., P.M. Marsh, M.J. Sharkey (eds) (1997) Manual of the New World genera of the Family Braconidae (Hymenoptera) Spec. Pub. No. 1, *The International Society of Hymenopterists*, Washington D.C.
- Wharton R. A., W.R. Mason (1991) *Vipio* Latrielle, 1804 (Insecta, Hymenoptera): proposed designation of *Agathis longicauda* Boheman, 1853 as the type species *Bulletin of Zoological Nomenclature* 48:45-49
- Wharton R.A., I. Mercado (1989) Patrones preliminares de diversidad de la subfamilia Cardiochilinae (Hymenoptera: Braconidae) para México Mem. XXXI Congr. Nal Entomol. Mérida, Yucatán pp 185
- Whitfield J.B. (1985) The nearctic species of *Deuterixys* Mason (Hymenoptera: Braconidae) *Pan-Pacific Entomologist* 61:60-67
- Whitfield J.B. (1988) Revision of the Nearctic species of the genus *Stiropius* Cameron (=Bucculatriplex Auct.) with the description of a new related genus (Hymenoptera: Braconidae) *Systematic Entomology* 13:373-385
- Whitfield J.B. (1989) Two new species of *Paradelius* (Hymenoptera: Braconidae) from America, with biological notes *Pan-Pacific Entomologist* 64:313-319
- Whitfield J.B. (1990) Phylogenetic review of the *Stiropius* group of genera (Hymenoptera, Braconidae, Rogadinae) with description of a new Neotropical genus *Proceedings of the Entomological Society of Washington* 92:36-43
- Whitfield J.B. (1992) The polyphyletic origin of endoparasitism in the cyclostome lineages of the Braconidae (Hymenoptera) *Systematic Entomology* 17:273-286
- Whitfield J.B. (1995) *Xanthapanteles*, a new genus of Microgastrinae (Hymenoptera: Braconidae) from South America *Proceedings of the Entomological Society of Washington* 97:879-883
- Whitfield J.B. (1997) Molecular and morphological data suggest a single origin of the polydnaviruses among braconid wasp *Naturwissenschaften* 84:1-7
- Whitfield J.B., Achterberg C. van (1987) Clarification of the taxonomic status of the genera *Cantharoctonus* Viereck, *Noserus* Foerster and *Pseudavga* Tobias (Hymenoptera: Braconidae) *Systematic Entomology* 12:509-518
- Whitfield J., D.L. Wagner (1991) Annotated key to the genera of Braconidae (Hymenoptera) attacking leafmining Lepidoptera in the Holarctic region *Journal of Natural History* 25:773-754
- Whitfield J., W.R.M. Mason (1994) Mendesellinae, a new subfamily of braconid wasp (Hymenoptera: Braconidae) with a first review of relationships within the microgastroid assemblage. *Systematic Entomology* 19: 61-76
- Williams D.J.M. (1985) The New World genus *Lathrapanteles* n. gen.: phylogeny and placement in the Microgastrinae (Hymenoptera: Braconidae: Cotesiini) *Canadian Journal of Zoology* 63:1962-1981
- Williams D.J.M. (1988) Classification, phylogeny and zoogeographic studies of species of *Sathon* Mason (Hymenoptera: Braconidae) *Quaestiones Entomologicae* 24:529-639
- Zettel H. (1989a) Beiträge zur Kenntnis Neotropischer Arten der Gattung *Phanerotoma* Wesmael:1 Die *Ph.bilinea*-gruppe (Hymenoptera: Braconidae, Cheloninae) *Linzer Biologische Beiträge* 21:317-338
- Zettel H. (1989b) Beiträge zur Kenntnis Neotropischer Arten der Gattung *Phanerotoma* Wesmael:3 Die *Ph.trivittata*-gruppe (Hymenoptera: Braconidae, Cheloninae) *Linzer Biologische Beiträge* 21:527-542
- Zettel H. (1990a) Eine Revision der Gattungen der Cheloninae (Hymenoptera, Braconidae) mit Beschreibungen neuer Gattungen und Arten *Annales Naturhistorisches Museum Wien* 91:147-196
- Zettel H. (1990b) Beiträge zur Kenntnis Neotropischer Arten der Gattung *Phanerotoma* Wesmael: 4. Die *Ph. Fuscovaria*-gruppe (Hymenoptera: Braconidae, Cheloninae) *Linzer Biologische Beiträge* 22:3-19
- Zettel H. (1991) Beiträge zur Kenntnis Neotropischer Arten der Gattung *Phanerotoma* Wesmael: 5 Die *Ph. Minuta*-gruppe und 6. Die *Ph. Popovi*-gruppe (Hymenoptera: Braconidae, Cheloninae) *Linzer Biologische Beiträge* 23:375-385

Zettel H. (1992a) Revision der *Phanerotoma*-Arten Nordamerikas (Hymenoptera: Braconidae, Cheloninae) *Linzer Biologische Beiträge* 24:275-330

Zettel H. (1992b) Beiträge zur Kenntnis Neotropischer Arten der Gattung *Phanerotoma* Wesmael: 7. Die *Ph. Atriceps*-gruppe (Hymenoptera:Braconidae, Cheloninae) *Linzer Biologische Beiträge* 24:663-669

Anexo / Appendix

Listado Sinonímico / Synonymic List

Acrisis Foerster, 1862 =

Episigalphus Ashmead, 1900
Euchasmus Marshall, 1988

Acrophasmus Enderlein, 1912 =

Concurtiella Roman, 1924

Adelius Haliday, 1833 =

Anomopterus Rohwer, 1914
Myriola Shestakov, 1932

Ademon Haliday, 1833 =

Analostania Viereck, 1916
Giardinaia De Stephani, 1902

Agathirsia Westwood, 1882 =

Agathona Westwood, 1882
Paragathis Ashmead, 1889

Agathis Latreille, 1804

Aenigmastomus Ashmead, 1900
Cenostomus Foerster, 1862

Alabagrus Enderlein, 1920 =

Astiria Enderlein, 1920
Craspedobothrus Enderlein, 1920
Lyptia Enderlein, 1920

Aleiodes Wesmael, 1838 =

Aleirhogas Baker, 1917
Chelonorhogas Enderlein, 1912
Heterogamoides Fullaway, 1919
Heterogamus Wesmael, 1838
Hyperstemma Shestakov, 1940
Jiruna Malák, 1941
Leluthinus Enderlein, 1912
Nebartha Walker, 1860
Neorrhoga Szépligeti, 1906
Petalodes Wesmael, 1838

Allobracon Gahan, 1915 =

Leurinion Muesebeck, 1958

Alloea Haliday, 1833 =

Diaspasta Foerster, 1862
Lamadatha Cameron, 1900

Allorhogas Gahan, 1912 =

Austrodolops Blanchard, 1936
Catolestes Brethes, 1922

Alysia Latreille, 1804 =

Cechenus Illiger, 1807
Goniarcha Foerster, 1862

Apanteles, Foerster, 1862 =

Allapanteles Brethes, 1915
Cecidobracon Kieffer & Joergensen, 1910
Urogaster Ashmead, 1898

Aphaereta Foerster, 1862 =

Atopandrium Graham, 1952
Trichesia Provancher, 1881
Trinaria Provancher, 1886
Trisynaldis Fischer, 1958

Aphidius Nees, 1818 =

Theracmion Holmgren, 1872

Ascogaster Wesmael, 1835 =

Cascogaster Baker, 1926

Aridelus Marshall, 1887 =

Arideloides Papp, 1974
Erythrometeorus Cameron, 1911
Helormorpha Schmiedeknecht, 1907
Scipolabia Enderlein, 1920
Strictometeorus Cameron, 1909

Asobara Foerster, 1862 =

Sathra Foerster, 1862
Spanista Foerster, 1862

Aspilota Foerster, 1862 =

Dipiesta Foerster, 1862
Eusynaldis Zaykov & Fischer, 1982

Atanycolus Foerster, 1862 =

Atanycolidea Viereck, 1912

- Coelobracon* Dall Torre, 1898
Melanobracon Ashmead, 1911
- Austrozele** Roman, 1910 =
Laevis Sharma, 1982
Palinzele Brues, 1922
Paniscozele Enderlein, 1920
- Bassus** Fabricius, 1804 =
Aerophilina Enderlein, 1920
Aerophilopsis Viereck, 1913
Agathelina Enderlein, 1920
Agathiella Szépligeti, 1902
Diplozon Haliday, 1833
Ditropia Enderlein, 1920
Eumicrodus Foerster, 1862
Hormagathis Brues, 1926
Ioxia Enderlein, 1920
Lyptopylus Viereck, 1905
Microdus Nees, 1914
Neomicrodus Szépligeti, 1908
Obesomicrodus Papp, 1971
Therophilus Wesmael, 1837
- Binodoxys** Mackauer, 1960 =
Crasticaudus Starý & Remaudiére 1982
- Biosteres**, Foerster, 1862 =
Celestiella Cameron, 1903
Chilotrichia Foerster, 1862
Opiellus Ashmead, 1900
Rhabdospilus Foerster, 1862
Rhinoplus Foerster, 1862
Stenospilus Foerster, 1862
Trichopius Thomson, 1895
Zetetes Foerster, 1862
- Bracteodes** de Saeger, 1946 =
Mimirus Fischer, 1972
- Blacus** Nees, 1818 =
Gonicormus Foerster, 1862
Neoblacus Ashmead, 1900
- Bracon** Fabricius, 1804 =
Amicroplidea, Ashmead, 1900
Liobracon Ashmead, 1905
Macrodityium Ashmead, 1900
Microbracon Ashmead, 1890
Seliodus Bréthes, 1909
Tropidobracon Ashmead, 1900
- Cenocoelius** Haliday, 1840 =
Laccophrys Foerster, 1862
Promachus Cresson, 1887
Centistes Haliday, 1835 =
- Euphoroidea* Ashmead, 1900
Liosigalphus Ashmead, 1900
- Chaenusia** Haliday, 1839 =
Chorebidea Nixon, 1943
Chorebidea Viereck, 1914
Chorebidella Riegel, 1950
- Charmon**, Haliday, 1833 =
Cyclocormus Cameron, 1911
Provancheria Ashmead, 1898
- Chelonus** Panzer, 1806 =
Archichelonus Viereck, 1913
Davisania La Munyon, 1877
Megachelonus Baker, 1926
Trachionus Haliday, 1833
Etriptes Nixon, 1943
- Chorebus** Haliday, 1833 =
Ametria Foerster, 1862
Gyrocampa Foerster, 1820
Paragyrocampa Tobias, 1962
Stiphocera Foerster, 1862
- Chremylus** Haliday, 1833 =
Paramesocrina Nagamori, 1925
Penecerus Wesmael, 1838
- Chyphodoryctes** Marsh, 1997 =
Cyrtionion Marsh, 1993
- Clinocentrus** Haliday, 1833 =
Camptocentrus Kriechbaumer, 1894
Microrhogas Cameron, 1910
Neorhyssalus Baker, 1917
- Coccygidium** de Saussure, 1892 =
Ahngeria Kokujev, 1902
Brachyropalum Kriechbaumer, 1894
Caenophylax, Schulz, 1911
Hemichroma Enderlein, 1920
Lisitheria Cameron, 1904
Neophylax Ashmead, 1889
Spilomicrodus Cameron, 1911
Xanthomicrodus Cameron, 1904
Zelomorpha Ashmead, 1900
Zelomorphidea Viereck, 1912
- Coelinius** Nees, 1818 =
Copisura Schioedte, 1837
Chaenon Curtis, 1829
Eriocoelinus Viereck, 1913
Lepton Zetterstedt, 1838
Polemochartus Schulz, 1911
Sarops Nixon, 1942

***Coeloides* Wesmael, 1838 =**

Coeloidina Viereck, 1921
Cerobracon Viereck, 1926
Habrobraconidea Viereck, 1912
Syntomomelus Kokujev, 1902

***Colastes* Haliday, 1833 =**

Exothecus Wesmael, 1838

***Cosmophorus* Ratzeburg, 1848**

Cosmophorinus Viereck, 1925

***Cotesia* Cameron, 1891 =**

Cryptapanteles Viereck, 1910
Stenopleura Viereck, 1911

***Crassomicrodus* Ashmead, 1900 =**

Epimicrodus Ashmead, 1900

***Cratospila* Foerster, 1862 =**

Hedylus Marshall, 1891

***Cryptoxilos* Viereck, 1911 =**

Cryptoxiloides Capek & Capeki, 1979

***Curtisella* Spinola, 1853 =**

Lissophrymnus Cameron, 1911
Neorhyssa Szépligeti, 1902
Polystenoides Muesebeck, 1950
Subcurtisella Roman, 1924

***Cyanopterus* Haliday, 1835 =**

Atanycolimorpha Viereck, 1913
Coelidimorpha Viereck, 1913
Bracambus Thomson, 1892
Cyanopteridea Viereck, 1911
Ipobracon Thomson, 1892

***Dacnusa* Haliday, 1833 =**

Agonia Foerster, 1862
Aphanta Foerster, 1862
Brahystropha Foerster, 1862
Liposcia Foerster, 1862
Pachysema Foerster, 1862
Radiolaria Provancher, 1886
Rhizarcha Foerster, 1862
Tanystropha Foerster, 1862

***Dapsilarthra* Foerster, 1862 =**

Adelura Foerster, 1862
Grammospila Foerster, 1862
Neocarpa Fischer, 1966
Parothostigma Koenigsmann, 1972

***Dendrosoter* Wesmael, 1838 =**

Caenophachys Foerster, 1862
Eurybolus Ratzeburg, 1848

***Diachasma* Foerster, 1862 =**

Alyosopius Tobias, 1976
Lytacra Foerster, 1862

***Diachasmimorpha* Viereck, 1913 =**

Parasteres Fischer, 1967

***Digonogastra* Viereck, 1912 =**

Monogonogastra Viereck, 1912

***Dinotrema* Foerster, 1862 =**

Coloboma Foerster, 1862
Eudinostigma Tobias, 1962
Leptotrema van Achterberg, 1988
Panerema Foerster, 1862
Prosapha Foerster, 1862
Pterusa Fischer, 1958
Scotioneurus Provancher, 1886
Spanomeris Foerster, 1862
Synaldis Foerster, 1862

***Diolcogaster* Ashmead, 1900 =**

Zadiolcogaster Viereck, 1913

***Diospilus* Haliday, 1833 =**

Allochromus Marshall, 1902

***Dolichozele* Viereck, 1911 =**

Plectobracon Bréthes, 1927
Neozele Brues, 1926

***Dolopsidea* Hincks, 1944 =**

Delops Marshall, 1889

***Donquickeia* Marsh, 1997 =**

Quickia Marsh, 1993

***Doryctes* Haliday, 1836 =**

Ischiogonus Wesmael, 1838
Paradoryctes Granger, 1949
Plyctes Fischer, 1981
Pristodoryctes Kieffer, 1921
Udamolcus Enderlein, 1920

***Doryctobracon* Enderlein, 1920 =**

Diachasmoides Blanchard, 1938
Parachasma Fischer, 1967

***Ecphyllus* Foerster, 1862 =**

Paraecphyllus Ashmead, 1900
Sactopus Ashmead, 1900
Sycosoter Picard & Lichtenstein, 1917

Elasmosoma Ruthe, 1858 =
Paramirax Ashmead, 1895

Ephedrus Haliday, 1833 =
Elassus Wesmael, 1835
Lysiephedrus Starý, 1958

Eubazus Nees, 1814
Allodorus Foerster, 1862
Brachistes Wesmael, 1835
Calyptus Haliday 1835

Exotela Foerster, 1862 =
Antrusa Nixon, 1943
Mesora Foerster, 1862
Toxela Nixon, 1943

Fornicia Brullé, 1846 =
Monoformicia Fahringer, 1938
Odontoformicia Enderlein, 1912
Glyptocolastes Ashmead, 1900 =
Doryctinus Roman, 1910
Glyptodoryctes Ashmead, 1900

Gnamptodon Haliday, 1833 =
Diraphus Wesmael, 1838
Mesotages Foerster, 1862

Gymnobracon Szépligeti, 1902 =
Ipospathius Enderlein, 1920
Rutheia Szépligeti, 1908

Harkeria Cameron, 1900 =
Paramonoctonus Starý, 1959

Hecalobus Curtis, 1834 =
Anisopelma Wesmael, 1838

Helcon Nees, 1814 =
Coelostephanus Kieffer, 1911
Edyia Cameron, 1905
Gymnoscelus Foerster, 1862

Heterospilus Haliday, 1836 =
Anacatostigma Enderlein, 1920
Caenophanes Foerster, 1862
Harpogolaccus Enderlein, 1920
Kareba Cameron, 1905
Lituania Jakimavicius, 1960
Mythotynia Hedqvist, 1976

Homolobus Foerster, 1862 =
Phylax Wesmael, 1835

Hormius Nees, 1818 =
Anhormius Belokobyl'kij, 1989
Hormiellus Enderlein, 1912
Hormisca Telenga, 1941
Mediella Hedqvist, 1963

Hydrangeocola Brethes, 1927 =
Kephalosema Fischer, 1968

Hymenochoaonia Dalla Torre, 1898 =
Chaonia Cresson, 1865
Pachymerella Enderlein, 1920

Ichneutes Nees, 1816 =
Ichneustes Szépligeti, 1896

Idiasta Foerster, 1862 =
Euphaenocarpa Tobias, 1975
Rhacalysia Cameron, 1910

Leiophron Nees, 1818 =
Euphoriana Gahan, 1913
Euphorus Nees, 1834

Leluthia Cameron, 1887 =
Doryctosoma Picard, 1938
Euhecabolus Tobias, 1962
Russellella Muesebeck & Walkely, 1951
Russellia Muesebeck, 1950

Liobracon Szépligeti, 1901 =
Hyboderia Enderlein, 1920
Parabinarea Brues, 1912
Triderodon Enderlein, 1920

Loxocephalus Foerster, 1862 =
Myiocephalus Marshall, 1897
Spilomma Morley, 1909

Lysitermus Foerster, 1862 =
Paracedria Hedqvist, 1956
Prolysitermus Tobias, 1971
Rogadinaspis Boucek, 1956
Trissarthrum Ashmead, 1900

Macrocentrus Curtis, 1833 =
Amicroplus Curtis, 1833
Fhogra Cameron, 1862
Metapleurodon Enderlein, 1920
Pseudophylacter Fahringer, 1929

Megaloproctus Shulz, 1906 =
Ectetamenochir Enderlein, 1912
Megistoproctus Schulz, 1911

Mesocrina Foerster, 1862 =
Pseudomesocrina Koenigsmann, 1959

Mesocoelus Schulz, 1911
Caelothorax Ashmead, 1898

Meteoriidea Ashmead, 1900
Benama Nixon, 1946

Meteorus Haliday, 1835 =
Pachytecus Cameron, 1912
Saprotichus Holmgren, 1868

Microctonus Wesmael, 1835 =
Gamosecus Provancher, 1880

Microgaster Latreille, 1804 =
Liganira Walker, 1860
Lissogaster Bengtsson, 1926

Microploitis Foerster, 1862 =
Dapsilotoma Cameron, 1906
Glabromicroplitis Papp, 1979

Microtypus Ratzeburg, 1848 =
Similearinus Glowacki & Karnpksi, 1967

Mirax Haliday, 1833
Centistidea Rohwer, 1914

Monitoriella Hedqvist, 1963 =
Apotheopius Fischer, 1964

Myosoma Brullé, 1846 =
Acanthobracon Kriechbaumer, 1900
Amyosoma Viereck, 1913

Neoneurus Haliday, 1838 =
Ecclites Foerster, 1862

Oligoneurus Szépligeti, 1902 =
Ciliosa Mason, 1969
Pulchaukia Mason, 1957

Oncophanes Foerster, 1862 =
Epirhyssalus Ashmead, 1900

Ontsira Cameron, 1900 =
Doryctodes Hellén, 1927
Wachsmannia Szépligeti, 1900

Opies Wesmael, 1835 =
Aclisis, Foerster, 1862
Atoreuteus Foerster, 1862
Bathystomus Foerster, 1862

Biophthora Foerster, 1862
Desmatophorus Thomson, 1895
Desmiostoma Foerster, 1862
Eristernaualax Viereck, 1914
Hexaulax Cameron, 1910
Hypolabis Foerster, 1862
Lissosema Fischer, 1972
Marginopius Fahringer, 1934
Mesostoma Cameron, 1905
Neodiopsis Szépligeti, 1911
Neopiis Gahan, 1917
Phlebosema Fischer, 1972
Sternaulopius Fischer, 1965
Therobolus Foerster, 1862
Thiemanastrepha Fischer, 1977
Trigonospilus Ashmead, 1901

Orgilus Haliday, 1833 =
Ischius Wesmael, 1835
Macropalpus Ratzeburg, 1844
Oresimus Ashmead, 1900
Orgilomorpha Ashmead, 1900

Orthostigma Ratzeburg, 1844 =
Delocarpa Foerster, 1862
Ischnocarpa Foerster, 1862

Pambolus Haliday, 1836 =
Araphis Ruthe, 1854
Dimeris Ruthe, 1854
Folchinia Kieffer, 1906
Parapambolus Dahl, 1912
Paraptesis Magretti, 1884

Paroligoneurus Muesebeck, 1931 =
Anapixia Mason, 1991
Muesebeckia Mason, 1957
Ancylus Haliday, 1833


Paeusia Quilis Perez, 1931 =
Chaetopauesia Mackauer, 1967
Paraphidius Starý, 1858

Pedinotus Szépligeti, 1902 =
Goniognus Enderlein, 1920

Pentapleura, Foerster, 1862 =
Gnathospila Fischer, 1966
Opisendea Foerster, 1862

Phaenocarpa Foerster, 1862 =
Asynaphes Provancher, 1886
Holcalysia Cameron, 1905
Homophyla Foerster, 1862

- Kahlia** Ashmead, 1900
esothesis Foerster, 1862
- Phanerotoma** Wesmael, 1838 =
Ichneutipterus Vachal, 1907
Neocampsis Szépligeti, 1908
Neophanerotoma Szépligeti, 1908
Phanerotomina Shestakov, 1930
Sulydus Dubuysson, 1897
Tritoma Szépligeti, 1908
Unica Snoflák, 1951
- Praon** Haliday, 1833 =
Aphidaria Provancher, 1886
- Proterops** Wesmael, 1835 =
Ichneutidea Ashmead, 1900
Proteropoides Viereck, 1909
- Rhanconotus** Ruthe, 1854 =
Euryphrymnus Cameron, 1910
Horniopterus Giraud, 1869
hadinogaster Szépligeti, 1908
- Rogas** Nees, 1818 =
Pelecystoma Wesmael, 1838
- Semirhytus** Szépligeti, 1902 =
Liparophleps Enderlein, 1920
Plesademon Fischer, 1961
- Spathius** Nees, 1818 =
Euspathius Foerster, 1862
Pseudospathius Szépligeti, 1902
Stenophasmus Smith, 1859
- Stantonia** Ashmead, 1904 =
Mimagathis Enderlein, 1905
- Stiropius** Cameron, 1911 =
Viridipyge Whitfield, 1988
- Streblocera** Westwood, 1833 =
Cosmophoridea Hedqvist, 1955
Eutanycerus Foerster, 1862
- Symphanes** Foerster, 1862 =
Bobekia Niegabitowski, 1910
- Symphya** Foerster, 1862
Aenone Haliday, 1833
- Syncrasis** Foerster, 1862 =
Phaenolyta Foerster, 1862
- Synelix**, Foerster, 1862 =
Ectilis Nixon, 1943
- Tanycarpa** Foerster, 1862 =
Acrobela Foerster, 1862
Epiclista Foerster, 1862
Hypostropha Foerster, 1862
- Taphaeus** Wesmael, 1835 =
Anostemus Foerster, 1862
- Triaspis** Haliday, 1835 =
Muriella Fullaway, 1919
- Trioxys** Haliday, 1833 =
Bioxys Starý & Schlinger, 1967
Nevropenes Provancher, 1886
- Tanycarpa** Foerster, 1862 =
Acrobela Foerster, 1862
Epiclista Foerster, 1862
Hypostropha Foerster, 1862
- Taphaeus** Wesmael, 1835 =
Anostemus Foerster, 1862
- Triaspis** Haliday, 1835 =
Muriella Fullaway, 1919
- Trioxys** Haliday, 1833 =
Bioxys Starý & Schlinger, 1967
Nevropenes Provancher, 1886
- Urosigalpus** Ashmead, 1888 =
Rhyssosigalpus Cameron, 1904
- Vipio** Latreille, 1804 =
Isomecus Kriechbaumer, 1895
- Wesmaearella** Spinola, 1853 =
Psilophthalmus Szépligeti, 1902
- Whitfieldiellus** Marsh, 1997 =
Whitfieldia Marsh, 1993
- Wroughtonia** Cameron, 1899 =
Duportia Kieffer, 1921
Helconidea Viereck, 1914
- Xenarcha**, Foerster, 1862 =
Phanomeris Foerster, 1862

Yelicones* Cameron, 1887 =Pectinopius* Fischer, 1961*Rhopalotoma* Cameron, 1911***Zele* Curtis, 1832 =***Protelus* Foerster, 1862*Zemiotes* Foerster, 1862

Biota Colombiana Vol. 2 (3), 2001

Una publicación del / A publication of: Instituto Alexander von Humboldt

En asocio con / In collaboration with:

Instituto de Ciencias Naturales de la Universidad Nacional de Colombia
Instituto de Investigaciones Marinas y Costeras - Invemar
Missouri Botanical Garden

Listados Neotropicales / Neotropical Lists

- Lista de los Géneros de Avispas Parasitoides Braconidae (Hymenoptera: Ichneumonoidea) de la Región Neotropical / Checklist of Genera of Braconid Parasitic Wasps (Hymenoptera: Ichneumonoidea) of the Neotropical Region – D.F. Campos..... 193

Listados Nacionales / National Lists

- Las Abejas sin Aguijón (Hymenoptera: Apidae: Meliponini) de Colombia / Stingless Bees (Hymenoptera: Apidae: Meliponini) of Colombia – G. Nates-Parra..... 233

- Las Especies de la Tribu Paniceae (Poaceae: Panicoideae) de Colombia / Colombian Species of the Tribe Paniceae (Poaceae: Panicoideae) – D. Giraldo-Cañas..... 249

Listados Regionales / Regional Lists

- Aves del Municipio de Manizales-Caldas, Colombia / Birds of Manizales-Caldas, Colombia – J.C. Verhelst, J.C. Rodríguez, O. Orrego, J.E. Botero, J.A. López, V.M. Franco & A.M. Pfeifer..... 265

- Reseñas /Reviews 284

- Índice Temático Vol. 2 / Subject Index Vol. 2 294

- Índice de Autores Vol. 2 / Author Index Vol. 2 296

- Tabla de Contenido Vol. 2 / Table of Contents Vol. 2 297

- Agradecimientos / Acknowledgments..... 299

- Fe de Erratas / Errata's List..... 299

