

Species	Reference	Geographic range	Conservation Status
ORDER ORECTOLOBIFORMES			
Family Ginglymostomatidae			
<i>Ginglymostoma cirratum</i> (Bonnaterre 1788)	3, 4	TA	VU
ORDER MYLIOBATIFORMES			
Family Dasyatidae			
<i>Hypanus americanus</i> (Hildebrand & Schroeder 1928)	3, 6	WA	NT
<i>Styracura schmardae</i> (Werner 1904)	1	WA	NE
Family Myliobatidae			
<i>Aetobatus narinari</i> (Euphrasen 1790)	1, 6	TA	NE
ORDER ANGUILLIFORMES			
Family Muraenidae			
<i>Echidna catenata</i> (Bloch 1795)	1, 2, 3, 6	WI	NE
<i>Enchelycore carychroa</i> Böhlke & Böhlke 1976	1	WI	NE
<i>Enchelycore nigricans</i> (Bonnaterre 1788)	1	TA	NE
<i>Gymnothorax funebris</i> Ranzani 1839	1, 4, 5	WA	NE
<i>Gymnothorax miliaris</i> (Kaup 1856)	1, 2, 3	TA	NE
<i>Gymnothorax moringa</i> (Cuvier 1829)	1, 4, 5	WI	NE
<i>Gymnothorax vicinus</i> (Castelnau 1855)	1	TA	NE
Family Chlopsidae			
<i>Kaupichthys hyoproroides</i> (Strömman 1896)	1	CT	NE
Family Ophichthidae			
<i>Ahlia egmontis</i> (Jordan 1884)	1	WA	NE
<i>Myrichthys ocellatus</i> (Lesueur 1825)	1	TA	NE
Family Moringuidae			
<i>Moringua edwardsi</i> (Jordan & Bollman 1889)	1	WCA	NE
ORDER CLUPEIFORMES			
Family Engraulidae			
<i>Anchoa lyolepis</i> (Evermann & Marsh 1900)	1	WA	NE
<i>Anchoviella perfasciata</i> (Poey 1860)	1	WCA	NE
Family Clupeidae			
<i>Harengula clupeola</i> (Cuvier 1829)	1	WA	NE
<i>Jenkinsia lamprotaenia</i> (Gosse 1851)	1	WCA	NE
<i>Opisthonema oglinum</i> (Lesueur 1818)	1	WA	NE
ORDER AULOPIIFORMES			
Family Synodontidae			
<i>Synodus intermedius</i> (Spix & Agassiz 1829)	1, 2, 3	WA	NE
<i>Synodus synodus</i> (Linnaeus 1758)	1	TA	NE
ORDER HOLOCENTRIFORMES			
Family Holocentridae			
<i>Holocentrus adscensionis</i> (Osbeck 1765)	1, 2, 3, 4, 5	TA	NE

<i>Holocentrus rufus</i> (Walbaum 1792)	2, 3, 4, 5	WA	NE
<i>Myripristis jacobus</i> Cuvier 1829	1, 2, 3, 4, 6	TA	NE
<i>Neoniphon marianus</i> (Cuvier 1829)	2	WA	NE
<i>Neoniphon vexillarium</i> (Poey 1860)	1, 2, 3	WA	NE
<i>Plectrypops retrospinis</i> (Guichenot 1853)	1	WCA	NE
ORDER OPHIDIIFORMES			
Family Ophidiidae			
<i>Parophidion schmidti</i> (Woods & Kanazawa 1951)	1	WA	NE
Family Bythitidae			
<i>Ogilbia cayorum</i> Evermann & Kendall 1898	1	WCA	NE
ORDER SCOMBRIFORMES			
Family Scombridae			
<i>Scomberomorus regalis</i> (Bloch 1793)	2	TA	NE
ORDER SYNGNATHIFORMES			
Family Aulostomidae			
<i>Aulostomus maculatus</i> Valenciennes 1841	1, 2, 3, 4, 6	WA	NE
Family Fistulariidae			
<i>Fistularia tabacaria</i> Linnaeus 1758	4, 5	TA	NE
Family Syngnathidae			
<i>Cosmocampus brachycephalus</i> (Poey 1868)	1	WA	NE
<i>Halicampus crinitus</i> (Jenyns 1842)	1	WCA	NE
<i>Hippocampus reidi</i> Ginsburg 1933	1	WA	VU
<i>Microphis brachyurus</i> (Bleeker 1854)	1	CT	NE
Family Dactylopteridae			
<i>Dactylopterus volitans</i> (Linnaeus 1758)	5	TA+MED	NE
ORDER GOBIIFORMES			
Family Gobiidae			
<i>Barbulifer ceuthoecus</i> (Jordan & Gilbert 1884)	1	WA	NE
<i>Bathygobius soporator</i> (Valenciennes 1837)	1	TA	NE
<i>Coryphopterus dicrus</i> Böhlke & Robins 1960	3, 6	WA	NE
<i>Coryphopterus eidolon</i> Böhlke & Robins 1960	2	WCA	NE
<i>Coryphopterus glaucofraenum</i> Gill 1863	1, 2, 3	WA	NE
<i>Coryphopterus lipernes</i> Böhlke & Robins 1962	2	WCA	NE
<i>Coryphopterus personatus</i> (Jordan & Thompson 1905)	2, 3, 6	WCA	NE
<i>Coryphopterus thrix</i> Böhlke & Robins 1960	2, 3, 6	WCA	NE
<i>Elacatinus illecebrosus</i> (Böhlke & Robins 1968)	1, 2, 3, 6	WCA	NE
<i>Elacatinus</i> sp.	4, 5		
<i>Ginsburgellus novemlineatus</i> (Fowler 1950)	1	WCA	NE
<i>Gnatholepis thompsoni</i> Jordan 1904	1, 2, 3, 6	TA	NE
<i>Lythrypnus nesiotetes</i> Böhlke & Robins 1960	1	WCA	NE
<i>Lythrypnus</i> sp.	1		

<i>Lythrypnus spilus</i> Böhlke & Robins 1960	1	WCA	NE
<i>Priolepis hipoliti</i> (Metzelaar 1922)	1	WA	NE
<i>Tigrigobius multifasciatus</i> (Steindachner 1876)	1	WCA	NE
<i>Tigrigobius saucrus</i> (Robins 1960)	2, 3	WCA	NE
ORDER CARANGIFORMES			
Family Sphyraenidae			
<i>Sphyraena barracuda</i> (Edwards 1771)	1, 3	CG	NT
Family Bothidae			
<i>Bothus lunatus</i> (Linnaeus 1758)	1, 2, 3	TA	NE
Family Carangidae			
<i>Caranx bartholomaei</i> Cuvier 1833	1, 2, 3	WI	NE
<i>Caranx hippos</i> (Linnaeus 1766)	1, 2, 4	TA+MED	VU
<i>Caranx ruber</i> (Bloch 1793)	1, 3, 4, 5, 6	WA	NE
<i>Decapterus</i> sp.	2		
<i>Trachinotus falcatus</i> (Linnaeus 1758)	6	WA	NE
ORDER BELONIFORMES			
Family Belonidae			
<i>Strongylura</i> sp.	1, 6		
ORDER MUGILIFORMES			
Family Mugilidae			
<i>Mugil gr. curema</i>	6	CG	NE
ORDER GOBIESOCIFORMES			
Family Gobiesocidae			
<i>Acyrtops beryllinus</i> (Hildebrand & Ginsburg 1927)	1	WA	NE
<i>Acyrtus rubiginosus</i> (Poey 1868)	1	WCA	NE
<i>Gobiesox punctulatus</i> (Poey 1876)	1	WA	NE
ORDER BLENNIIFORMES			
Family Tripterygiidae			
<i>Enneanectes altivelis</i> Rosenblatt 1960	1	WA	NE
<i>Enneanectes boehlkei</i> Rosenblatt 1960	1	WCA	NE
Family Labrisomidae			
<i>Gobioclinus kalisherae</i> (Jordan 1904)	1	WA	NE
<i>Labrisomus nuchipinnis</i> (Quoy & Gaimard 1824)	1	TA	NE
<i>Malacoctenus macropus</i> (Poey 1868)	1	WCA	NE
<i>Malacoctenus triangulatus</i> Springer 1959	1, 2	WI	NE
<i>Paraclinus nigripinnis</i> (Steindachner 1867)	1	WA	NE
<i>Starksia variabilis</i> Greenfield 1979	1	WCA	NE
<i>Stathmonotus gymnodermis</i> Springer 1955	1	WA	NE
Family Chaenopsidae			
<i>Acanthemblemaria rivasi</i> Stephens 1970	2, 3	WCA	NE
<i>Coralliozetus</i> sp.	1		
<i>Ekemblemaria nigra</i> (Meek & Hildebrand 1928)	1	WCA	NE

<i>Lucayablennius zingaro</i> (Böhlke 1957)	2, 3	WCA	NE
Family Dactyloscopidae			
<i>Dactyloscopus tridigitatus</i> Gill 1859	1	WA	NE
<i>Platygilvellus rubrocinctus</i> (Longley 1934)	1	WCA	NE
Family Blenniidae			
<i>Entomacrodus nigricans</i> Gill 1859	1	WCA	NE
<i>Hypsoblennius invemar</i> Smith-Vaniz & Acero P. 1980	1	WA	NE
<i>Ophioblennius macclurei</i> (Silvester 1915)	1, 3, 4, 6	WA	NE
ORDER ACANTHURIFORMES			
Family Pomacanthidae			
<i>Holacanthus ciliaris</i> (Linnaeus 1758)	1, 2, 4	WI	NE
<i>Holacanthus tricolor</i> (Bloch 1795)	2, 4	WA	NE
<i>Pomacanthus arcuatus</i> (Linnaeus 1758)	1, 2, 3, 4, 6	WA	NE
<i>Pomacanthus paru</i> (Bloch 1787)	1, 2, 3, 4, 6	WI	NE
Family Chaetodontidae			
<i>Chaetodon capistratus</i> Linnaeus 1758	1, 2, 3, 4, 5, 6	WA	NE
<i>Chaetodon ocellatus</i> Bloch 1787	1, 2, 3, 4, 5, 6	WA	NE
<i>Chaetodon sedentarius</i> Poey 1860	2, 6	WA	NE
<i>Chaetodon striatus</i> Linnaeus 1758	2, 3, 4, 5, 6	WI	NE
Family Acanthuridae			
<i>Acanthurus chirurgus</i> (Bloch 1787)	1, 2, 3, 4, 5, 6	TA	NE
<i>Acanthurus coeruleus</i> Bloch & Schneider 1801	1, 2, 3, 4, 5, 6	TA	NE
<i>Acanthurus tractus</i> Poey 1860	1, 2, 3, 4, 5, 6	WCA	NE
ORDER LOPHIIFORMES			
Family Antennariidae			
<i>Antennarius multiocellatus</i> (Valenciennes 1837)	1	WI	NE
ORDER TETRADONTIFORMES			
Family Diodontidae			
<i>Diodon holocanthus</i> Linnaeus 1758	4	CT	NE
<i>Diodon hystrix</i> Linnaeus 1758	1, 2, 3, 6	CT	NE
Family Tetraodontidae			
<i>Canthigaster rostrata</i> (Bloch 1786)	1, 2, 3, 4, 6	WCA	NE
<i>Sphoeroides spengleri</i> (Bloch 1785)	1	WA	NE
<i>Sphoeroides testudineus</i> (Linnaeus 1758)	1	WA	NE
Family Ostraciidae			

<i>Acanthostracion polygonius</i> Poey 1876	2, 3	WA	NE
<i>Acanthostracion quadricornis</i> (Linnaeus 1758)	2, 3	TA	NE
<i>Lactophrys bicaudalis</i> (Linnaeus 1758)	2, 3, 6	WI	NE
<i>Lactophrys trigonus</i> (Linnaeus 1758)	1	WA	NE
<i>Lactophrys triqueter</i> (Linnaeus 1758)	2, 3	WA	NE

Family Monacanthidae

<i>Aluterus scriptus</i> (Osbeck 1765)	2, 3	CT	NE
<i>Cantherhines macrocerus</i> (Hollard 1853)	2, 3, 4	WI	NE
<i>Cantherhines pullus</i> (Ranzani 1842)	1, 2, 3, 4, 6	TA	NE
<i>Monacanthus tuckeri</i> Bean 1906	2	WCA	NE

Family Balistidae

<i>Balistes vetula</i> Linnaeus 1758	2	TA	EM
<i>Canthidermis sufflamen</i> (Mitchill 1815)	1, 2, 3, 6	TA	NE
<i>Melichthys niger</i> (Bloch 1786)	2	CT	NE

ORDER CENTRARCHIFORMES

Family Kyphosidae

<i>Kyphosus</i> sp.	2, 3, 6		
<i>Kyphosus sectatrix</i> (Linnaeus 1758)	1, 4, 5	TA+MED	NE

Family Cirrhitidae

<i>Amblycirrhitus pinos</i> (Mowbray 1927)	2, 3	WA	NE
--------------------------------------------	------	----	----

ORDER ACROPOMATIFORMES

Family Pempheridae

<i>Pempheris schomburgkii</i> Müller & Troschel 1848	1, 2, 3, 4, 5, 6	WA	NE
------------------------------------------------------	---------------------	----	----

ORDER PERCIFORMES INCERTAE SEDIS

Family Serranidae

<i>Cephalopholis cruentata</i> (Lacepède 1802)	1, 3, 4, 5, 6	WCA	NE
<i>Cephalopholis fulva</i> (Linnaeus 1758)	1, 3	WA	NE
<i>Epinephelus adscensionis</i> (Osbeck 1765)	4, 5	TA	NE
<i>Epinephelus guttatus</i> (Linnaeus 1758)	4, 5	WA	NT
<i>Epinephelus striatus</i> (Bloch 1792)	1, 2, 3, 6	WA	CR
<i>Hypoplectrus nigricans</i> (Poey 1852)	2, 3	WCA	NE
<i>Hypoplectrus puella</i> (Cuvier 1828)	1, 2, 3, 4, 5, 6	WCA	NE
<i>Hypoplectrus unicolor</i> (Walbaum 1792)	2, 3	WCA	NE
<i>Liopropoma rubre</i> Poey 1861	2	WA	NE
<i>Mycteroperca bonaci</i> (Poey 1860)	1, 2	WA	VU
<i>Mycteroperca tigris</i> (Valenciennes 1833)	2	WA	NT
<i>Mycteroperca venenosa</i> (Linnaeus 1758)	2	WA	VU
<i>Pseudogramma gregoryi</i> (Breder 1927)	1	WA	NE
<i>Rypticus saponaceus</i> (Bloch & Schneider 1801)	1, 2, 4, 5	TA	NE
<i>Rypticus subbifrenatus</i> Gill 1861	1	TA	NE

<i>Serranus baldwini</i> (Evermann & Marsh 1899)	1	WA	NE
<i>Serranus tigrinus</i> (Bloch 1790)	1, 2, 3, 4, 5, 6	WCA	NE
Family Grammatidae			
<i>Gramma loreto</i> Poey 1868	1, 2, 3, 4, 5, 6	WA	NE
<i>Gramma melacara</i> Böhlke & Randall 1963	2	WCA	NE
Family Opistognathidae			
<i>Opistognathus whitehursti</i> (Longley 1927)	1	WA	NE
Family Priacanthidae			
<i>Heteropriacanthus cruentatus</i> (Lacepède 1801)	2, 3	CT	NE
Family Apogonidae			
<i>Apogon maculatus</i> (Poey 1860)	1	WA	NE
<i>Astrapogon puncticulatus</i> (Poey 1867)	1	WA	NE
<i>Phaeoptyx conklini</i> (Silvester 1915)	1	WA	NE
<i>Phaeoptyx pigmentaria</i> (Poey 1860)	1	TA	NE
Family Malacanthidae			
<i>Malacanthus plumieri</i> (Bloch 1786)	1	WI	NE
Family Lutjanidae			
<i>Lutjanus analis</i> (Cuvier 1828)	1, 2, 3, 6	WA	VU
<i>Lutjanus apodus</i> (Walbaum 1792)	2, 3, 4	WA	NE
<i>Lutjanus cyanopterus</i> (Cuvier 1828)	1, 2	WA	VU
<i>Lutjanus griseus</i> (Linnaeus 1758)	1	WA	NE
<i>Lutjanus jocu</i> (Bloch & Schneider 1801)	1, 2, 3	TA	DD
<i>Lutjanus mahogoni</i> (Cuvier 1828)	1, 2, 3, 4	WCA	NE
<i>Lutjanus synagris</i> (Linnaeus 1758)	2, 3	WA	NE
<i>Ocyurus chrysurus</i> (Bloch 1791)	1, 2, 3, 4, 5, 6	TA	NT
Family Gerreidae			
<i>Eucinostomus</i> sp.	1		
<i>Gerres cinereus</i> (Walbaum 1792)	1	WA	NE
Family Haemulidae			
<i>Anisotremus surinamensis</i> (Bloch 1791)	2, 3	WA	NE
<i>Anisotremus virginicus</i> (Linnaeus 1758)	1, 2, 3, 4, 6	WA	NE
<i>Brachygenys chrysargyreum</i> (Günther 1859)	2, 3	WA	NE
<i>Haemulon album</i> Cuvier 1830	2, 3	WA	LC
<i>Haemulon aurolineatum</i> Cuvier 1830	1, 2, 3, 4, 6	WA	NE
<i>Haemulon bonariense</i> Cuvier 1830	2, 3	WCA	NE
<i>Haemulon carbonarium</i> Poey 1860	1, 2, 3, 4, 6	WCA	NE
<i>Haemulon flavolineatum</i> (Desmarest 1823)	1, 2, 3, 4, 6	WA	NE
<i>Haemulon macrostoma</i> Günther 1859	1, 2, 3, 4,	WA	NE

	5, 6		
<i>Haemulon parra</i> (Desmarest 1823)	2, 3	WA	NE
<i>Haemulon plumierii</i> (Lacepède 1801)	1, 2, 3, 6	WA	NE
<i>Haemulon sciurus</i> (Shaw 1803)	2, 3, 4, 5	WA	NE
Family Sciaenidae			
<i>Equetus lanceolatus</i> (Linnaeus 1758)	2, 3	WA	NE
<i>Equetus punctatus</i> (Bloch & Schneider 1801)	2, 3, 4, 6	WA	NE
<i>Odontoscion dentex</i> (Cuvier 1830)	2, 3	WA	NE
Family Mullidae			
<i>Mulloidichthys martinicus</i> (Cuvier 1829)	1, 2, 3, 4, 5, 6	TA	NE
<i>Pseudupeneus maculatus</i> (Bloch 1793)	1, 2, 3, 4, 5, 6	WA	NE
ORDER PERCIFORMES			
Family Pomacentridae			
<i>Abudefduf saxatilis</i> (Linnaeus 1758)	1, 2, 3, 4, 5, 6	TA+MED	NE
<i>Abudefduf taurus</i> (Müller & Troschel 1848)	1, 6	TA	NE
<i>Chromis cyanea</i> (Poey 1860)	2	WCA	NE
<i>Chromis insolata</i> (Cuvier 1830)	2	WCA	NE
<i>Chromis multilineata</i> (Guichenot 1853)	1, 2, 3, 4, 6	TA	NE
<i>Microspathodon chrysurus</i> (Cuvier 1830)	1, 2, 3, 4, 6	WA	NE
<i>Stegastes adustus</i> (Troschel 1865)	1, 2, 3, 4, 5, 6	WCA	NE
<i>Stegastes diencaeus</i> (Jordan & Rutter 1897)	2, 3	WCA	NE
<i>Stegastes leucostictus</i> (Müller & Troschel 1848)	1, 2, 3, 6	WA	NE
<i>Stegastes partitus</i> (Poey 1868)	1, 2, 3, 4, 6	WCA	NE
<i>Stegastes planifrons</i> (Cuvier 1830)	1, 2, 3, 4, 6	WCA	NE
<i>Stegastes xanthurus</i> (Poey 1860)	1, 2, 3	WCA	NE
Family Labridae			
<i>Bodianus rufus</i> (Linnaeus 1758)	1, 2, 3, 4, 6	WA	NE
<i>Clepticus parrae</i> (Bloch & Schneider 1801)	2, 3, 4	WCA	NE
<i>Doratonotus megalepis</i> Günther 1862	1	TA	NE
<i>Halichoeres bivittatus</i> (Bloch 1791)	1, 2, 3, 4, 5, 6	WA	NE
<i>Halichoeres cyanocephalus</i> (Bloch 1791)	2	WA	NE
<i>Halichoeres garnoti</i> (Valenciennes 1839)	1, 2, 3, 4	WA	NE
<i>Halichoeres maculipinna</i> (Müller & Troschel 1848)	1, 2, 3, 4, 5, 6	WA	NE
<i>Halichoeres pictus</i> (Poey 1860)	2, 3	WCA	NE

<i>Halichoeres poeyi</i> (Steindachner 1867)	1, 2, 3, 6	WA	NE
<i>Halichoeres radiatus</i> (Linnaeus 1758)	1, 2, 3, 4, 5, 6	WI	NE
<i>Scarus coelestinus</i> Valenciennes 1840	2	WA	EM
<i>Scarus iseri</i> (Bloch 1789)	1, 2, 3, 6	WCA	NE
<i>Scarus taeniopterus</i> Lesson 1829	2, 3	WA	NE
<i>Scarus vetula</i> Bloch & Schneider 1801	2, 3	WCA	NT
<i>Sparisoma atomarium</i> (Poey 1861)	2, 6	WA	NE
<i>Sparisoma aurofrenatum</i> (Valenciennes 1840)	1, 2, 3, 4, 5, 6	WCA	NE
<i>Sparisoma chrysopterus</i> (Bloch & Schneider 1801)	2, 3, 6	WCA	NE
<i>Sparisoma radians</i> (Valenciennes 1840)	1	WA	NE
<i>Sparisoma rubripinne</i> (Valenciennes 1840)	1, 2, 3, 4, 5, 6	WA	NE
<i>Sparisoma viride</i> (Bonnaterre 1788)	1, 2, 3, 4, 5, 6	WA	NT
<i>Thalassoma bifasciatum</i> (Bloch 1791)	1, 2, 3, 4, 5, 6	WA	NE
Family Scorpaenidae			
<i>Pterois volitans</i> (Linnaeus 1758)	4, 6	PAC	NE
<i>Scorpaena bergii</i> Evermann & Marsh 1900	1	WA	NE
<i>Scorpaena grandicornis</i> Cuvier 1829	1	WA	NE
<i>Scorpaena isthmensis</i> Meek & Hildebrand 1928	1	WA	NE
<i>Scorpaena plumieri</i> Bloch 1789	1, 4	WI	NE
<i>Scorpaenodes caribbaeus</i> Meek & Hildebrand 1928	1	WA	NE
<i>Scorpaenodes tredecimspinosus</i> (Metzelaar 1919)	1	WA	NE
